

### **Data Modelling in MongoDB**

As we have seen from the Introduction section, the data in MongoDB has a flexible schema. Unlike in [SQL](#) databases, where you must have a table's schema declared before inserting data, MongoDB's collections do not enforce document structure. This sort of flexibility is what makes MongoDB so powerful.

When modeling data in Mongo, keep the following things in mind

1. What are the needs of the application – Look at the business needs of the application and see what data and the type of data needed for the application. Based on this, ensure that the structure of the document is decided accordingly.
2. What are data retrieval patterns – If you foresee a heavy query usage then consider the use of indexes in your data model to improve the efficiency of queries.
3. Are frequent inserts, updates and removals happening in the database? Reconsider the use of indexes or incorporate sharding if required in your data modeling design to improve the efficiency of your overall MongoDB environment.

### **Difference between MongoDB & RDBMS**

Below are some of the key term differences between MongoDB and RDBMS

RDBMS	MongoDB	Difference
Table	Collection	In RDBMS, the table contains the columns and rows which are used to store the data whereas, in MongoDB, this same structure is known as a collection. The collection contains documents which in turn contains Fields, which in turn are key-value pairs.
Row	Document	In RDBMS, the row represents a single, implicitly structured data item

		in a table. In MongoDB, the data is stored in documents.
Column	Field	In RDBMS, the column denotes a set of data values. These in MongoDB are known as Fields.
Joins	Embedded documents	In RDBMS, data is sometimes spread across various tables and in order to show a complete view of all data, a join is sometimes formed across tables to get the data. In MongoDB, the data is normally stored in a single collection, but separated by using Embedded documents. So there is no concept of joins in MongoDB.

Apart from the terms differences, a few other differences are shown below

1. Relational databases are known for enforcing data integrity. This is not an explicit requirement in MongoDB.
2. RDBMS requires that data be [normalized](#) first so that it can prevent orphan records and duplicates Normalizing data then has the requirement of more tables, which will then result in more table joins, thus requiring more keys and indexes.

As databases start to grow, performance can start becoming an issue. Again this is not an explicit requirement in MongoDB. MongoDB is flexible and does not need the data to be normalized first.

## Why Use MongoDB?

Below are the few of the reasons as to why one should start using MongoDB

1. Document-oriented – Since MongoDB is a NoSQL type database, instead of having data in a relational type format, it stores the data in documents. This makes MongoDB very flexible and adaptable to real business world situation and requirements.
2. Ad hoc queries - MongoDB supports searching by field, range queries, and regular expression searches. Queries can be made to return specific fields within documents.
3. Indexing - Indexes can be created to improve the performance of searches within MongoDB. Any field in a MongoDB document can be indexed.
4. Replication - MongoDB can provide high availability with replica sets. A replica set consists of two or more mongo DB instances. Each replica set member may act in the role of the primary or secondary replica at any time. The primary replica is the main

server which interacts with the client and performs all the read/write operations. The Secondary replicas maintain a copy of the data of the primary using built-in replication. When a primary replica fails, the replica set automatically switches over to the secondary and then it becomes the primary server.

5. Load balancing - MongoDB uses the concept of sharding to scale horizontally by splitting data across multiple MongoDB instances. MongoDB can run over multiple servers, balancing the load and/or duplicating data to keep the system up and running in case of hardware failure.

## **Assignment**

1. what is data modeling in MongoDB?
2. what is the difference between MongoDB & RDBMS?