


An array is a collection of fixed number values of a single type. An integer array can only hold elements whose data type is also an integer.

A two-dimensional array in C can be thought of as a matrix with rows and columns. The general syntax used to declare a two-dimensional array is:



A two-dimensional array is an array of several one-dimensional arrays.

	Column 0	Column 1	Column 2	Column 3
Row 0	a[ 0 ][ 0 ]	a[ 0 ][ 1 ]	a[ 0 ][ 2 ]	a[ 0 ][ 3 ]
Row 1	a[ 1 ][ 0 ]	a[ 1 ][ 1 ]	a[ 1 ][ 2 ]	a[ 1 ][ 3 ]
Row 2	a[ 2 ][ 0 ]	a[ 2 ][ 1 ]	a[ 2 ][ 2 ]	a[ 2 ][ 3 ]

Column index  
 Row index  
 Array name

### Example 1: Write a Program to Insert & Display the element in 2D Array.

```
#include<stdio.h>
#include<conio.h>
void main()
{
  int a[3][3],i,j;
  clrscr();
  for (i=0;i<3;i++)
  {
    for (j=0;j<3;j++)
    {
      printf("\n Enter the Element [%d] [%d] : " ,i, j) ;
      scanf("%d ", &a[i][j]) ;
    }
  }
  for(i=0 ; i<3 ; i++)
  {
    for(j=0 ; j<3 ; j++)
      printf("%d",a[i][j]);
    printf("\n");
  }
  getch();
}
```

```
Enter the Numbers of Row : 3
Enter the Number of Coloumn : 3
Enter the Element of Matrix :
Enter the Element [0] [0] : 1
Enter the Element [0] [1] : 2
Enter the Element [0] [2] : 3
Enter the Element [1] [0] : 4
Enter the Element [1] [1] : 5
Enter the Element [1] [2] : 6
Enter the Element [2] [0] : 7
Enter the Element [2] [1] : 8
Enter the Element [2] [2] : 9

Element in the Matrix are :
1   2   3
4   5   6
7   8   9
```



**Example 2: Program to print sum of all the elements of 2-D-Array.**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int x[5][4],i,j,s=0;
clrscr();
printf("Enter the elements of array \n");
for(i=0;i<5;i++)
for(j=0;j<4;j++)
scanf("%d",&x[i][j]);
for(i=0;i<5;i++)
for(j=0;j<4;j++)
s=s+x[i][j];
printf("Sum of all the 2-D-ARRAY= %d",s);
getch();
}
```

**Example 3: Write a program to print all the even number of 2-D-Array.**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int x[5][4],i,j;
clrscr();
printf("Enter the elements of array \n");
for(i=0;i<5;i++)
for(j=0;j<4;j++)
scanf("%d",&x[i][j]);
for(i=0;i<5;i++)
for(j=0;j<4;j++)
if(x[i][j]%2==0)
printf(" %d\t",x[i][j]);
getch();
}
```

**Example 4: Write a program to print sum all the even number of 2-D-Array and also print sum odd numbers.**

```
#include<stdio.h>
#include<conio.h>
void main()
{
int x[5][4],i,j,se=0,so=0;
clrscr();
printf("Enter the elements of array\n");
for(i=0;i<5;i++)
for(j=0;j<4;j++)
scanf("%d",&x[i][j]);
for(i=0;i<5;i++)
for(j=0;j<4;j++)
if(x[i][j]%2==0)
se=se+x[i][j];
else
so=so+x[i][j];
printf("Sum of all the even number of 2-D-ARRAY==%d\n",se);
printf("Sum of all the odd number of 2-D-ARRAY==%d\n",so);
```

```
getch();
}
```

**Example 5: Write a program to find the largest value of 2-D-array.**

```
#include<stdio.h>
#include<conio.h>
void main()
{
    int x[5][4],i,j,l;
    clrscr();
    printf("Enter the elements of array \n");
    for(i=0;i<5;i++)
        for(j=0;j<4;j++)
            scanf("%d",&x[i][j]);
    l=x[0][0];
    for(i=0;i<5;i++)
        for(j=0;j<4;j++)
            if(l<x[i][j])
                l=x[i][j];
    printf("Largest value %d",l);
    getch();
}
```

**Try Yourself:**

1. Write a program to print multiplication of all the elements of 2-D-Array.
2. Write a program to print all the odd number of 2-D-Array.
3. Write a program to find the smallest value of 2-D-array.
4. Write a program to print the sum of all the odd number of 2-D-array.
5. Write a program to print the sum of largest and smallest value of 2-D-array.