उम्मीदवार इस पुरितका में ऊपर की तरफ लगी हुई सील को खोलकर पृष्ठ संख्या 2 और 3 के मध्य स्थापित OMR उत्तर शीट को निकाल लें। Candidates should open the seal on the top side of this Booklet and take Booklet No. : out the OMR Answer Sheet placed between page no. 2 and 3.

पुस्तिका सं.:

SCB परीक्षा प्रश्न-पुस्तिका/EXAMINATION QUESTION BOOKLET	परीक्षा पुस्तिका शृंखला : A
निर्धारित समय : 3 घंटे (दृष्टिवाधित उम्मीदवारों के लिए : 4 घंटे)	Test Booklet Series : अधिकतम अंक : 120
Time Allowed : 3 Hours (For V.H. Candidates : 4 Hours)	Maximum Marks : 120
रोल नं. Roll No. : प्रश्नों के उत्तर देने से पहले निम्नित्खित अनुदेशों को ध्यान से पढ़ लें। इस पुस्तिका में प्रश्न अंग्रेजी में	

Read the following instructions carefully before you begin to answer the questions. This booklet contains questions in English.

उम्मीदवारों के लिए अनुदेश

Instructions to the Candidates

- 1. प्रश्नों के उत्तर लिखना आरंभ करने से पहले आप इस पुस्तिका की जाँच करके सुनिश्चित कर लें कि इसमें पूरे पृष्ठ (20) हैं तथा कोई पृष्ठ या उसका भाग कम या दुवारा तो नहीं आ गया है। उम्मीदवारों को यह भी जाँच करनी है कि उनको केवल उस स्ट्रीम की सही परीक्षा-पुस्तिका मिली है जिसके लिए उन्होंने आवेदन किया है। यदि आप इस पुस्तिका में कोई त्रुटि पाएं, तो तत्काल इसके बदले दसरी पुस्तिका ले लें।
- ओ एम् आर उत्तर-शीट, प्रश्न पुस्तिका में ही उपलब्ध रहेगी। ओ एम् आर उत्तर-शौट में विवरण भरने से पहले, आपको ओ एम् आर उत्तर-शीट पर मुद्रित अनुदेशों को सावधानीपूर्वक पढ़ना चाहिए। आपको ओ एम् आर उत्तर-शीट में दिए गए अनुदेशों के अनुसार सावधानीपूर्वक उसमें विवरण और कोड लिखने चाहिए। प्रश्नों के उत्तर वास्तविक रूप में लिखना आरंभ करने से पहले आपको ओ एम् आर उत्तर-शीट में निर्धारित स्थान पर अपने हस्ताक्षर करने चाहिए। इन अनुदेशों का पूर्ण अनुपालन किया जाना चाहिए, ऐसा न किये जाने पर आपकी ओ एम् आर उत्तर-शीट का मूल्यांकन नहीं किया जायेगा। (दृष्टिहीन उम्मीदवारों के लिए यह विवरण लेखक द्वारा भरे जायेंगे। फिर भी, सभी दृष्टिहीन उम्मीदवारों को ओ एम् आर उत्तर-शीट में निर्धारित स्थान पर अपने बाएं हाथ के अंगूठे का निशान अवश्य लगाना चाहिए। इसके अतिरिक्त, जो दृष्टिहीन उम्मीदवार अपना हस्ताक्षर कर सकते हैं, वे अंगूठे के निशान के अलावा अपने हस्ताक्षर भी करें।)
- ओ एम् आर उत्तर-शीट तीन प्रतियों में होंगी (मूल तथा कार्बन की दो प्रतिलिपियाँ)। परीक्षा समाप्ति के बाद ओ एम् आर की मूल शीट तथा एक कार्बन प्रतिलिपि निरीक्षक को सौंपने के पश्चात् उम्मीदवार अपने साथ एक कार्बन प्रतिलिपि ले जा सकते/सकती हैं। यदि कोई भी उम्मीदवार ऐसा करने में असफल रहता/रहती है तो उसका/उसकी उम्मीदवारी रद्द कर दी जायेगी। यदि कोई उम्मीदवार अपना/ अपनी कार्तन प्रतिलिपि में किसी भी प्रकार का फेर-बदल कर उसका दावा करता/ करती है तो इस स्थिति में भी उसका/उसकी उम्मीदवारी रद्द की जायेगी।
- इस प्रश्न-पुस्तिका में 120 बहुविकल्पीय प्रश्न हैं, प्रत्येक प्रश्न के 4 विकल्प दिए गए हैं, (A), (B), (C) और (D)। किसी भी स्थिति में प्रत्येक प्रश्न का केवल एक विकल्प ही सही उत्तर है। यदि आपको एक से अधिक विकल्प सही लगें तो सबसे अधिक उचित एक विकल्प का चुनाव करें और उत्तर-शीट में सम्बंधित प्रश्न के सामने वाले उपयुक्त गोले को काला करें।

प्रत्येक सही उत्तर के लिए 1 अंक दिया जाएगा और प्रत्येक गलत उत्तर के लिए

0.25 अंक काट लिया जाएगा।

6. प्रश्न पुस्तिका में दो भाग हैं : भाग A : सामान्य (42 प्रश्न) और भाग B : तकनीकी (78 प्रश्न)। उम्मीदवार को दोनों भागों के उत्तर लिखना अनिवार्य हैं।

गोले को काला करने के लिए केवल काले/नीले बॉल प्वाइंट पेन का प्रयोग करें। गोले को एक बार काला करने के बाद इसको मिटाने या बदलने की अनुमित नहीं है। यदि किसी प्रश्न के सामने एक से ज्यादा गोले काले किये गए हों तो मशीन द्वारा उसके लिए शुन्य अंक दिया जाएगा।

किसी भी स्थिति में उत्तर-शीट को न मोड़ें।

उत्तर-पुस्तिका पर कोई भी रफ कार्य नहीं करना है। रफ कार्य के लिए इस पुस्तिका में स्थान दिया गया है।

10. परीक्षा हॉल/कमरों में मोबाइल फ़ोन तथा बेतार संचार साधन पूरी तरह निषिद्ध हैं। उम्मीदवारों को उनके अपने हित में सलाह दी जाती है कि मोबाइल फ़ोन/किसी अन्य बेतार संचार साधन को स्विच ऑफ करके भी अपने पास न रखें। इस प्रावधान का अनुपालन न करने को परीक्षा में अनुचित उपायों का प्रयोग माना जायेगा और उनके विरुद्ध कार्यवाही की जाएगी, जिसमें उनकी उम्मीदवारी रद्द करना भी शामिल है।

11. परीक्षार्थी को अपनी उत्तर-शीट निरीक्षक को सौंपे बिना और उपस्थिति पत्रिका पर हस्ताक्षर किये बिना परीक्षा हॉल/कमरा नहीं छोड़ना चाहिए, ऐसा नहीं करने पर अयोग्य घोषित कर दिया जाएगा।

- Before you start to answer the questions you must check up before you start to answer the questions you must check up this booklet and ensure that it contains all the pages (20) and see that no page or portion thereof is missing or repeated. Candidates are also required to check that they have got the right question booklet as per the post applied. If you find any defect in this Booklet, you must get it replaced *immediately*. OMR Answer-Sheet will be within the Question booklet. Read the instructions printed on OMR Answer-Sheet carefully before filling the information on the OMR Answer-Sheet. You must
- filling the information on the OMR Answer-Sheet. You must complete and code the details as per the instructions given in the OMR Answer-Sheet carefully. You must also put your signature on the OMR Answer-Sheet at the prescribed place before you actually start answering the questions. These instructions must be fully complied with, failing which, your OMR Answer-Sheet will not be evaluated. (For V.H. candidates these details will be filled in by the scribe. However, all V.H. candidates must put their left-hand thumb impression at the space provided in the OMR Answer-Sheet. In addition, those V.H. candidates who can sign should also put their signatures in addition to thumb impression.)

The OMR Answer-Sheet will be in triplicate (Original and two carbon copies). Candidate has to take one carbon copy (marked as 'candidate copy') with him/her after examination and handover the original OMR along with one carbon copy to invigilator. If candidates fails to handover the original OMR along with one carbon copy to invigilator. OMR along with one carbon copy to invigilator, his/her candidature will be cancelled. Further, if the candidate tempers with candidate OMR carbon copy and claims for same, in that case also his/her candidature will be cancelled. This question booklet consists of 120 Multiple Choice Questions. Each question has 4 (four) alternatives (A), (B), (C) and (C) are consisted to the constant of the const

(C) and (D). In any case only one alternative will be the correct answer. In case if you find more than one correct answer, then choose the most appropriate single option and darken the appropriate circle in the Answer-Sheet in front of the related question.

For each correct answer One mark will be given and for each incorrect answer 0.25 marks will be deducted.

Question Booklet consists of two parts: Part A: Generic (having 42 questions) and Part B: Technical (having 78 questions). Candidate has to attempt both parts compulsorily. Use Black/Blue ball point Pen to darken the circle. Answer once darkened is not allowed to be erased or altered. Against any question if more than one circle is darkened machine.

any question if more than one circle is darkened, machine will allot zero mark for that question. Do not fold Answer-Sheet in any case.

No rough work is to be done on the Answer-Sheet. Space for

rough work has been provided in this booklet.

10. Mobile phones and wireless communication devices are completely banned in the examination hall/rooms. Candidates are advised not to keep mobile phones/any other wireless communication devices with them even switching it off, in their own interest. Failing to comply with this provision will be considered as using unfair means in the examination and action will be taken against them. the examination and action will be taken against them including cancellation of their candidature.

Candidate should not leave the examination hall/room without handing over his/her Answer-Sheet to the invigilator and without signing on the attendance sheet. Failing in

doing so, will amount to disqualification.

जब तक आपसे कहा न जाए तब तक प्रश्न—पुस्तिका न खोलें।/ DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE TOLD TO DO SO.

मैंने सभी अनुदेशों को स्पष्टतः पढ़कर समझ लिया है और	में उस पर बाध्य रहूँगा। ऐसा नहीं करने पर मेरी उम्मीदवारी को रद्द करने के विषय में मेरी सहमित होगी। is clearly and shall abide by the same. Failure to do so shall made me liable for
- Hotion Of My Callulature.	उम्मीदवार के हस्ताक्षर/Signature of Candidate :
sम्मीदवार का नाम/Name of Candidate :	स्थान/Place :


PART - A GENERIC AREA

Choose the most appropriate option.

(Q.No. 1 to 42)

Directions for question number 1 to 5:

Study the following graph and the table and answer the questions given below. (Data of different states regarding population of states in the year 2018)



Total population of the given States = 3276000.


	Sex and Literacy wise Population Ratio								
States	S	ex	Literacy						
	M	F	Educated	Non-Educated					
A	5	3	2	7					
В	3	1	1	4					
С	2	3	2	1					
D	3	5	3	2					
E	3	4	4	1					
F	3	2	7	2					
G	3	4	9	4					


- 1. _____ is the total number of non-educated people in A and B in 2018.
 - (A) 1276040
 - (B) 1032170
 - (C) 1081550
 - (D) 1161160


- 2. The number of males in F in the year 2018 is ______.
 - (A) 294650
 - (B) 294840
 - (C) 301470
 - (D) 301200
- 3. If in the year 2018, population of F is increased by 10% and population of B is increased by 12% as compared to the previous year, then ______ is the ratio of populations of F and B in 2017.
 - (A) 42:55
 - (B) 62:55
 - (C) 42:11
 - (D) 44:5
- 4. _____ is the ratio of the number of females in G to the number of females in C.
 - (A) 16:5
 - (B) 16:7
 - (C) 15:11
 - (D) 15:14
- is the percentage of total number of males in F, B and D together to the total population of all the given states.
 - (A) 24%
 - (B) 17.5%
 - (C) 28.5%
 - (D) 29.5%


- A solid cube of each side 8 cm, has been painted red, blue and black on pairs of opposite faces. It is then cut into cubical blocks of each side 2 cm. How many cubes have no face painted?
 - (A) 0
 - (B) 4
 - (C) 8
 - (D) 12
- 7. Find out the alternative figure which contains the given figure as its part.













- 8. A university library budget committee must reduce exactly five of eight areas of expenditure I, J, K, L, M, N, O and P in accordance with the following conditions:
 - If both I and O are reduced, P is also reduced.
 - If L is reduced, neither N nor O is reduced. If M is reduced, J is not reduced.
 - Of the three areas J, K and N exactly two are reduced.
 - If both K and N are reduced, which one of the following is a pair of areas neither of which could be reduced?
 - (A) I, L
 - (B) J, L
 - (C) J, M
 - (D) I, J
- 9. Which of these statements reflects a contrast between two flowers?
 - (A) This tulip is as colourful as a rose.
 - (B) This tulip does not smell as bad as a daffodil.
 - (C) This tulip turns towards light just like sunflower.
 - (D) This tulip is grown in bunches, like a lotus.
- **10.** Choose which of the following will be sufficient to find: What time did the bus leave today?


Statements:


- I. The bus normally leaves on time.
- II. The scheduled departure is at 12:30.
- (A) I alone is sufficient while II alone is not sufficient
- (B) II alone is sufficient while I alone is not sufficient
- (C) Either I or II is sufficient
- (D) Neither I nor II is sufficient

11. Identify the figure that completes the | 13. If X says that his mother is the only pattern.









In the following question below are given three statements followed by three conclusions numbered I, II and İII. You have to take the two statements to be true even if they seem to be at variance from the commonly known facts. Read all the conclusions and then decide which of the given conclusions logically follow from the two given statements, disregarding commonly known facts.

Statements:

Some pigeons are eagles.

All eagles are sparrows.

Some sparrows are not pigeons.

Conclusions:

- Some sparrows are pigeons.
- All pigeons are sparrows.
- All eagles are pigeons.
- Only I follows
- Only II follows (B)
- Only III follows
- Both I and III follows

- daughter of Y's mother, then how is Y related to X?
 - Brother
 - Son
 - Uncle
 - Father
- 14. Choose the missing terms out of the given alternatives.

EJO, TYD, INS, XCH, __?

- (A) NRW
- MRW (B)
- MSX
- (D) NSX

Directions for question number 15 to 17:

Answer the following questions on the basis of the directions given below:

Directions: For the Assertion (A) and Reason (R) below, choose the correct alternative from the following:

- Both (A) and (R) are true and (R) is the correct explanation of (A).
- Both (A) and (R) are true and (R) is not the correct explanation of (A).
- (A) is true but (R) is false.
- IV. (A) is false but (R) is true.

15. **Assertion (A)**:

Salt is added to cook food at higher altitudes.

Reason (R):

Temperature is lower at higher altitudes.

SCB

- (A) I
- (B) II
- (C) III
- (D) IV

16. Assertion (A):

Ventilators are provided near the roof.

Reason (R):

Conduction takes place better near the roof.

- (A) I
- (B) II
- (C) III
- (D) IV

17. Assertion (A):

Moon cannot be used as a satellite for communication.

Reason (R):

Moon does not move in the equatorial plane of the Earth.

- (A) I
- (B) II
- III
- (D) IV

Directions for question number 18 to 20:

Read the following information carefully and then answer the questions given below it.

A, B, C, D, E and F are six members of a family. There are two married couples among them.

C is the mother of A and F.

E is the father of D.

A is the grandson of B.

The total number of female members in the family is three.

- 18. Which of the following pairs is one of the married couples?
 - (A) E-F
 - B D
 - E B
 - (D) A-F

- **19.** How is B related to F?
 - (A) Sister
 - Grandmother
 - Wife
 - (D) Data inadequate
- **20.** How is F related to A?
 - (A) Brother
 - Daughter
 - Son
 - (D) None of the options
- There are 6 boxes numbered 1, 2,, 6. Each box is to be filled up either with a red or a green ball in such a way that at least 1 box contains a green ball and the boxes containing green balls are consecutively numbered. The total number of ways in which this can be done is:
 - (A) 18
 - (B) 19
 - (C) 20
 - (D) 21

- 22. Number of letter repeated in the given word 'MEASUREMENTS' are indicated in front of each alternative. Identify the correct alternative.
 - (A) $M_2E_2A_2S_2U_1R_1N_1T_1$
 - (B) $M_2E_3A_1S_1U_2R_1N_2T_1$
 - (C) $M_2E_2A_1S_2U_1R_1N_1T_1$
 - (D) $M_2E_3A_1S_2U_1R_1N_1T_1$
- 23. If 09/12/2001(DD/MM/YYYY) happens to be Sunday, then 09/12/1971 would have been a:
 - (A) Wednesday
 - (B) Tuesday
 - (C) Saturday
 - (D) Thursday
- 24. If a cube with length, height and width equal to 10 cm, is reduced to a smaller cube of height, length and width of 9 cm then reduction in volume is:
 - (A) 172 cm^3
 - (B) 729 cm³
 - (C) 271 cm^3
 - (D) None of the options

25. The admission ticket for an Art Gallery bears a password which is changed after every clock hour based on set of words chosen for each day. The following is an illustration of the code and steps of rearrangement for subsequent clock hours.

The Time is 9 a.m. to 3 p.m. Day's first password :

First Batch - 9 a.m. to 10 a.m. is not ready cloth simple harmony burning

Second Batch – 10 a.m. to 11 a.m. ready not is cloth burning harmony simple

Third Batch – 11 a.m. to 12 noon cloth is not ready simple harmony burning


Fourth Batch – 12 noon to 1 p.m. not is cloth ready burning harmony simple


Fifth Batch – 1 p.m. to 2 p.m. ready cloth is not simple harmony burning and so on.


If the password for 11 a.m. to 12 noon was – "soap shy miss pen yet the she", what was the password for the First Batch?


- (A) pen miss shy soap she the yet
- (B) shy miss pen soap yet the she
- (C) soap pen miss shy she the yet
- (D) miss shy soap pen she the yet

26. Select a suitable figure from the four alternatives that would complete the figure matrix.









27. What is the value of k for which the following system of equations has no solution:

$$2x - 8y = 3$$
 and $kx + 4y = 10$

- (A) -2 (B) 1
- (B) 1 (C) -1
- (D) 2
- 28. Gopal went to a fruit market with certain amount of money. With this money he can buy either 50 oranges or 40 mangoes. He retains 10% of the money for taxi fare. If he buys 20 mangoes, then the number of oranges he can buy with balance amount is:
 - (A) 25
 - (B) 20
 - (C) 18
 - (D) 6

- 9. A player rolls a die and receives the same number of rupees as the number of dots on the face that turns up. What should the player pay for each roll if he wants to make a profit of one rupee per throw of the die in the long run?
 - (A) ₹ 2.50
 - (B) ₹ 2
 - (C) ₹ 3.50
 - (D) ₹4

Directions for question number 30 and 31:

Study the information below and answer questions based on it.

Five of India's leading models are posing for a photograph promoting "World Peace and Understanding". But then, Sachin Malhotra the photographer is having a tough time getting them to stand in a straight line, because Natasha refuses to stand next to Jessica since Jessica had said something about her in a leading gossip magazine. Rachel and Anna want to stand together because they are good friends. Ria on the other hand cannot get along well with Rachel, because there is some talk about Rachel scheming to get a contract already awarded to Ria. Anna believes her friendly astrologer who has asked her to stand at the extreme right for all group photographs. Finally, Sachin managed to pacify the girls and got a beautiful picture of five beautiful girls smiling beautifully in a straight line, promoting world peace.


- 30. If Anna's astrologer tells her to stand second from left and Natasha decides to stand second from right, then who is the girl standing at the extreme right?
 - (A) Rachel
 - (B) Jessica
 - (C) Ria
 - (D) None of the options

- 31. If Natasha stands at the extreme left, who is standing second from left?

 Two taps A and B can fill a tank in 12 minutes and 15 minutes respectively.
 - (A) Cannot say
 - (B) Jessica
 - (C) Rachel
 - (D) Ria


Directions - Question number 32 and 33 are based on the diagram given below:

In a class there are 40 students who play at least one game out of Football, Cricket and Badminton.



- **32.** What percentage of students play only one game?
 - (A) 50%
 - (B) 60%
 - (C) 65%
 - (D) 70%
- 33. What percentage of students play all the three games ?
 - (A) 4%
 - (B) 5 %
 - (C) 8%
 - (D) 10%

- 34. Two taps A and B can fill a tank in 12 minutes and 15 minutes respectively. The tank can be emptied by a third tap C in 6 minutes. If A and B are kept open for 5 minutes in the beginning and then C is opened along with A and B being kept open, the time taken to empty the tank is:
 - (A) 60 minutes
 - (B) 45 minutes
 - (C) 30 minutes
 - (D) 75 minutes
- 35. Three squares are there as shown on the three sides of the triangle; find the area of the triangle from the respective areas of the squares.



- (A) $15\sqrt{5}$
- (B) $12\sqrt{5}$
- (C) 2√5
- (D) 1
- 36. Arjun by car takes double the time taken by bus to travel from Delhi to Agra. What is the Speed of the Bus if the Speed of Car is 40 km/hr?
 - (A) 40 km/hr
 - (B) 60 km/hr
 - (C) 80 km/hr
 - (D) 30 km/hr

- 37. Find the odd one out in the given series:
 - ZA, RS, DE, JK, PR, LM, YZ, NO
 - (A) JK
 - (B) LM
 - (C) ZA
 - (D) PR
- 38. In a group of 24 members, each member drinks either tea or coffee or both. If 15 of them drink tea and 18 drink coffee, find the probability that a person selected from the group drinks both tea and coffee.
 - (A) 1/8
 - (B) 3/8
 - (C) 5/24
 - (D) None of the options
- 39. What is the next number 16, 30, 54, 88, 132,...
 - (A) 186
 - (B) 188
 - (C) 190
 - (D) 206
- 40. In an office, 30% of the employees were women and 70% of the employees were above the age of 40 years, out of which 60% are men. Find the percentage of women employees who are above 40 years out of the total number of women employees.
 - (A) 96%
 - (B) 93.33%
 - (C) 70.44%
 - (D) 80.66%

Directions for question number 41 and 42:

Consists of a question and two statements, labelled (1) and (2), in which certain data are given. You have to decide whether the data given in the statements are sufficient for answering the question. Using the data given in the statements, plus your knowledge of mathematics and everyday facts.

41. What is the Standard Deviation (SD) of the four numbers A, B, C, D?

Statement (1):

The sum of A, B, C and D is 24.

Statement (2):

The sum of the squares of A, B, C and D is 224.

- (A) Only Statement (1) is required for answering the question
- (B) Only Statement (2) is required for answering the question
- (C) Both Statement together are required to answer the question
- (D) Answer cannot be ascertained with the given information
- **42.** How is R related to S?

Statement (1):

T, the wife of R's only brother C does not have any siblings.

Statement (2):


S is T's brother-in-law's wife.

- (A) Only Statement (1) is required for answering the question
- (B) Only Statement (2) is required for answering the question
- (C) Both Statement together are required to answer the question
- (D) Answer cannot be ascertained with the given information

PART - B TECHNICAL AREA

Choose the most appropriate option. (Q.No. 43 to 120)

- 43. Set of key attributes that identify weak entities related to some owner entity is classified as:
 - Structural key
 - String key
 - Partial key
 - Foreign key
- Which sorting algorithm sorts by moving the current data element past the already sorted values and repeatedly interchanges it with the preceding value until it is in its correct place?
 - (A) Insertion sort
 - Internal sort
 - External sort
 - Radix sort
- 45. The Preorder traversal of a tree given below is:



- (A) ABDFECGIHJKL
- (B) ABCDEGHFIJKL
- (C) ABEDFCGHIJKL
- (D) ABDFECGIJHKL

- 46. Which of the following Page Replacement Algorithm suffers from the belady's anomaly?
 - (A) LRU
 - Optimal Page Replacement
 - FIFO
 - Both LRU and FIFO
- 47. The number of tokens in the following C statement is

printf("i=%d, &i=%x", i, &i);

- (A) 8
- (B) 4
- (C) 7
- (D) 10
- ___ command will show you the translation table containing all the active NAT entries.
 - show ip nat translations
 - show ip nat tl
 - show ip nat states
 - none of the options
- Contiguous memory allocation having variable size partition suffers from:
 - External Fragmentation
 - Internal Fragmentation
 - Both External and Internal Fragmentation
 - None of the options
- _, other nodes verify the validity of the block by checking that the hash of the data of the block is less than a preset number.
 - (A) Proof of Burn
 - Proof of STAKE
 - Proof of Work (C)
 - All of the options

- 51. Calculate the modulation percentage if the | 54. Consider a control unit generating the modulating signal is 8 V and carrier is of 12 V?
 - 50

 - 150
 - (D) 33
- The best running time is defined as/ obtained as/by:
 - (A) the least or smallest of all the running times the algorithm takes, on inputs of a particular size.
 - an input that requires maximum computations or resources.
 - averaging the different running times for all inputs of a particular kind.
 - none of the options.
- Which one of the following statements is incorrect?
 - The number of regions corresponds to the cyclomatic complexity.
 - Cyclomatic complexity for a flow graph G is V(G) = N - E + 2, where E is the number of edges and N is the number of nodes in flow graph.
 - Cyclomatic complexity for a flow graph G is V(G) = E - N + 2, where E is the number of edges and N is the number of nodes in flow graph.
 - Cyclomatic complexity for a flow graph G is V(G) = P + 1, where P is the number of predicate nodes contained in the flow graph G.

control signals. These control signals are divided into five mutually exclusive groups as shown below:

Groups	G1	G1	G1	G1	G1
Control	2	77	10	10	
Signals	3	/	10	12	2

How many bits are saved using the Vertical Micro-programmed instead of Horizontal Micro-programmed control unit?

- (A) 14
- (B) 34
- (C) 20
- (D) None
- In which of the following hash functions, do consecutive keys map to consecutive hash values?
 - Division method
 - Multiplication method
 - Folding method
 - Mid-square method
- Which element is used to define discrete unit of content such as a blogpost, comment and so on?
 - section
 - (B) class
 - (C) article
 - (D) none of the options
- Which of the following machine model can be used in a necessary and sufficient sense for lexical analysis in modern computer language?
 - (A) Deterministic Push down Automata
 - Finite Automata
 - Non-Deterministic Finite Automata
 - Turing Machine

58.	Typical time requirement for operations on queues is: (A) O(1)	63.	Binary search tree contains the values 1, 2, 3, 4, 5, 6, 7, 8. The tree is traversed in pre-order and the values are printed out.	68.	How to specify the comment in the XML document? (A)	72.	One disk queue with requests for I/O to blocks on cylinders. The Request are in the following manner:
	(B) O(n)		Which of the following sequences is a valid output?		(B) !		98 183 37 122 14 124 65 67
	(C) O(logn) (D) O(n ²)		(A) 53124786(B) 53126487(C) 53241678	60	(C) (D)		Considering SSTF (shortest seek time first) scheduling, the total number of head movements is, if the disk head is initially at 53 is:
59.	What is the best case complexity of QuickSort?		(D) 53124768	69.	A direct mapped cache is of size 32 KB and has block size 32 Bytes. CPU also generates 32 bit address. Number of bits		(A) 236 (B) 246
	(A) O(nlogn)(B) O(logn)(C) O(n)	64.	In an IPv6 header, the traffic class field is similar to the field in the IPv4 header.		needed for indexing the cache: (A) 14 (B) 15		(C) 220 (D) 240
60	(D) O(n ²)		(A) TOS field(B) Fragmentation field(C) Fast Switching		(C) 10 (D) 17	73.	Which open addressing technique is free from Clustering problems? (A) Linear probing
60.	To the detection of up to 5 errors in all cases, the minimum Hamming distance in a block code must be (A) 5	65.	(D) Option field Identify the odd one out.	70.	On computers where there are multiple operating system, the decision to load a particular one is done by (A) PCB		(B) Quadratic probing(C) Double hashing(D) Rehashing
	(B) 6 (C) 10 (D) 8		 (A) Amazon web service (B) Microsoft Azure (C) Google cloud Platform (D) Twitter Platform 		(B) Inode(C) File Control Block(D) Boot Loader	74.	In classful addressing, a large part of the available addresses are (A) Dispersed (B) Blocked
61.	Which of the following is component of Hadoop? (A) YARN	66.	Which of the following can be used when creating a pool of global addresses instead of the netmask command?	71.	The resistance to be connected across terminal a, b for maximum power transfer to it is:	·	(C) Wasted (D) Reserved
	(B) HDFS(C) Map reduce(D) All of the options		 (A) / (slash notation) (B) prefix-length (C) no mask (D) block-size 		$0.1 V_1 \longrightarrow 5 \Omega \longrightarrow V_1$	75.	What is the basis of KVL? (A) Conservation of charge (B) Conservation of energy (C) Conservation of power
62.	Data leakage threats are done by internal agents. Which of them is not an example of an internal data leakage threat? (A) Data leak from stolen credentials from desk	67.	physical server into multiple logical servers. (A) Virtualization		- b (A) 40 Ω	76.	(D) All of the optionsIn VMs do not simulate the underlying hardware.(A) Para Virtualization
	 (B) Data leak by partners (C) Data leak by 3rd Party apps 		 (A) Virtualization (B) Private cloud (C) Hybrid cloud (D) Public cloud 		(B) 5Ω (C) 2.5Ω (D) 10Ω		 (B) Full Virtualization (C) Hardware-Assisted Virtualization (D) Network Virtualization
	ge 12 SPACE FOR R	OUG		A/Pa	ge 13 SPACE FOR R	OUGI	

- 77. The recurrence relation $T(n)=7T(n/7)+n \mid 81$. Debugger is a program that : has the solution: (A) Allows to examine and modify the (A) O(n) contents of registers (B) Allows to set breakpoints, execute a O(logn) segment of program and display O(nlog(n))contents of register (D) $O(n^2)$ Does not allow execution of a segment of program uses pretty good privacy (D) All the options algorithm. (A) Electronic mails File encryption computer's memory? Both Electronic mails and File (A) Distribution sort encryption
 - Which of the following techniques deals with sorting the data stored in the (D) None of the options Internal sort External sort Which of the following property is related Radix sort to a cryptographic hash functions? (A) One way Function possible labels are allowed in the first level of generic domain. Inversible (A) 10 Non-Deterministic (R) 12 (D) All of the options Consider a Simple Checkpointing Protocol and the following set of operations in the 84.
 - (start, T4); (write, T4, y, 2, 3); (start, T1); (commit, T4); (write, T1, z, 5, 7); (Checkpoint); (start, T2); (write, T2, x, 1, 9); (commit, T2); (start, T3); (write, T3, z, 7, 2); if a crash happens now and the system tries to recover using both undo and redo operations, what are the contents of the undo list and the redo list? (A) Undo: T3, T1; Redo T2

Undo: T3, T1; Redo T2, T4

Undo: none; Redo T2, T4, T3, T1

(D) Undo: T3, T1, T4; Redo T2

A/Page 14

		(R)	12			
-		(C)	16			
pointing Protocol operations in the		(D)		e of the o	_	
	84.	Give	n the	truth tabl	e of a Bina	ry Operation
2, 3); (start, T1); z, 5, 7);		φ u .b	101101	ws:	,	y Operation
			X	Y	X\$Y	
1, 9);			1	0	1	
write, T3, z, 7, 2);			1	1	1	
and the system			00	1	0	
h undo and redo			0	0	1	
e contents of the tt? T2	,	Ident	tify th	ne matchir	ng Boolear	n Expression.
o T2, T4		` '	$\neg X$			
T2, T4, T3, T1		(C)	¬Х	\$¬Y		
Redo T2		(D)		of the op	otions	
SPACE FOR RO)UGH	wo	RK			SCR

85.	acc	nain memory access time is 400 µs, TLB ess time 50 µs, considering TLB hit 90%, at will be the overall access time?	88.	car	which modulation discrete values of rier frequencies is used to transmit
	**11	at will be the overall access time?		bin	ary data ?
	(A)	800 μs		(A)	Phase Shift Keying
	(B)	490 μs		(B)	Amplitude Shift Keying
	(C)	485 ug		(C)	Frequency Shift Keying .
	(C)	485 μs		(D)	Disk Shift Keying
	(D)	450 μs			
			89.	PI	in XML specification stands for
86.		n operating system, processes that are ninated but, for some reason must have		(A)	priceless instruction
		ask structure in the process table are rred as		(B)	processing instruction
				(C)	polymorphic inheritance
	(A)	Zombies		(D)	primary instruction
	(B)	Orphans			
	(C)	Parent Process	90.	of th	ch type of linked list stores the address ne header node in the next field of the node?
	(D)	Child Process		(A)	Singly linked list
				(B)	Circular linked list
87.	Poin	t out the wrong statement :		(C)	Doubly linked list
	(A)	Non-Relational databases require that schemas be defined before you can add data.		(D)	Hashed list
	(B)	NoSQL databases are built to allow the insertion of data without a	91.	Wha othe	t is the advantage of bubble sort over sorting techniques?
		predefined schema.		(A)	It is faster
	(C)	NewSQL databases are built to allow		(B)	Consumes less memory
	. ,	the insertion of data without a predefined schema.		(C)	Detects whether the input is already sorted
	(D)	All of the options.		(D)	All of the options
A/Pa	ge 15	SPACE FOR RC	UGI	ı wo	RK
/ = a	9c 13				SCB

92. Match the following:

(1)	Waterfall	(a)	Specifications
	model		can be
			developed
			incrementally
(2)	Evolutionary	(b)	Re-usability in
	model		development
(3)	Component-	(c)	Explicit
	based software		recognition of
	engineering		risk
(4)	Spiral	(d)	Inflexible
	development		partitioning of
	•	-	the project into
			stages

- (1)-(a), (2)-(b), (3)-(c), (4)-(d)
- (1)-(d), (2)-(a), (3)-(b), (4)-(c)
- (1)-(d), (2)-(b), (3)-(a), (4)-(c)
- (1)-(c), (2)-(a), (3)-(b), (4)-(d)
- 58000 LOC gaming software is developed with effort of 3 person-year. What is the productivity of person-month?
 - (A) 1.9 KLOC
 - (B) 1.6 KLOC
 - (C) 4.8 KLOC
 - (D) 4.2 KLOC
- Which of the following tag is used intended for navigation in HTML5?
 - (A) nav
 - footer
 - section
 - navigation tag

- Which of the following is correct Content-Type header that a server side script should send for SSE in HTML5?
 - (A) Content-Type: text/event-stream
 - Content-Type: text/applicationstream
 - Content-Type: text/data-stream
 - None of the options
- 96. An instance of relational schema R(A, B, C) has distinct values of A including NULL values. Which one of the following is true?
 - (A) A is a candidate key
 - A is not a candidate key
 - A is a primary key
 - Both "A is a candidate key" and "A is a primary key"
- 97. If x, y, z are Boolean variable then $(x+\overline{y})(x\cdot\overline{y}+x\cdot z)(\overline{x}\cdot\overline{z}+\overline{y})$ is equal to :
 - (A) $x \cdot \overline{y}$

 - (C) $x \cdot \overline{z}$
 - none of the options
- In the congestion avoidance algorithm, the size of the congestion window increases until congestion is detected.
 - (A) Exponentially
 - Additively
 - Multiplicatively
 - Suddenly

- Limitations of the XML Data Type are:
 - (A) It cannot be compared or sorted. This means an XML data type cannot be used in a GROUP BY statement.
 - It cannot be used as a key column in an index.
 - The value() method of the XML data type returns a scalar value, so it can be specified anywhere where scalar values are allowed.
 - All of the options.
- 100. Consider the algorithm that solves problems of size n by recursively solving two sub problems of size n-1 and then combining the solutions in constant time. Then the running time of the algorithm would be:
 - (A) O(n)
 - O(logn)
 - O(nlogn)
 - $O(n^2)$ (D)
- 101. The program written for binary search, calculates the midpoint of the span as mid := (Low + High)/2. The program works well if the number of elements in the list is small (about 32,000) but it behaves abnormally when the number of elements is large. This can be avoided by performing the calculation as:
 - (A) mid := (High Low)/2 + Low
 - mid := (High Low + 1)/2
 - mid := (High Low)/2
 - mid := (High + Low)/2
- has a feature of remote access 102. through which a customer can access the data from anywhere and at any time with the help of internet connection.
 - IaaS (A)
 - PaaS (B)
 - NaaS (C)
 - SaaS (D)

- 103. The physical location of a record is determined by a mathematical formula that transforms a file key into a record location is:
 - (A) B-Tree File
 - (B) Hashed File
 - Indexed File
 - Sequential File
- 104. Which table is used in MS DOS for linked list allocation?
 - (A) TLB
 - Page Table (B)
 - **FAT** (C)
 - (D) Index Table
- 105. Consider the basic COCOMO model where E is the effort applied in personmonths, D is the development time in chronological months, KLOC is the estimated number of delivered lines of code (in thousands) and a_b , b_b , c_b , d_b have their usual meanings. The basic COCOMO equations are of the form.
 - (A) $E = a_b(KLOC) \exp(b_b)$, $D = c_b(E)$
 - $D = a_b(KLOC) \exp(b_b), E = c_b(D)$ $\exp(d_b)$
 - (C) $E = a_b \exp(b_b)$, $D = c_b(KLOC)$
 - (D) $E = a_b \exp(d_b)$, $D = c_b(KLOC)$
- 106. Suppose we have to insert the following sequence of keys into an empty binary search tree:
 - 5, 7, 45, 60, 50, 23, 15, 54

What would be the height of binary search tree?

- (A) 3
- (B) 4
- (C) 5
- (D) 6

- 107. Most NoSQL databases support automatic _ meaning that you get high availability and disaster recovery.
 - (A) Processing
 - Scalability
 - Replication
 - All of the options
- __ tells a firewall about how to reassemble a data stream that has been divided into packets.
 - (A) The source routing feature
 - The number in the header's identification field
 - The destination IP address
 - (D) The header checksum field in the packet header
- 109. Consider a software project with the following information domain characteristic for calculation of function point metric.

Number of external inputs (I) = 30Number of external output (O) = 60

Number of external inquiries (E) = 23

Number of files (F) = 08

Number of external interfaces (N) = 02

It is given that the complexity weighting factors for I, O, E, F and N are 4, 5, 4, 10 and 7, respectively. It is also given that, out of fourteen value adjustment factors that influence the development effort, four factors are not applicable, each of the other four factors have value 3, and each of the remaining factors have value 4. The computed value of function point metric

- (A) 612.06
- 212.05
- 305.09
- (D) 806.9

- 110. An attribute(s) that is used to look up for records in a file is called a:
 - Function key
 - Catalog key
 - Access key
 - Search key
- 111. An expression in the domain relational calculus is of the form:
 - (A) $\{P(x_1, x_2, \dots, x_n) | < x_1, x_2, \dots, x_n > \}$
 - (B) $\{x_1, x_2, \dots, x_n \mid < x_1, x_2, \dots, x_n > \}$
 - (C) $\{x_1, x_2, \dots, x_n | x_1, x_2, \dots, x_n\}$
 - (D) $\{\langle x_1, x_2, \dots, x_n \rangle \mid P(x_1, x_2, \dots, x_n)\}$
- 112. Let X_1 , ... X_{50} be independent random variables following N(0, 1) distribution. Let $Y = \sum_{i=1}^{50} X_i^2$, and E(Y) = a and Var(Y) = b. Then, the ordered pair (a, b) is:
 - (A) (50, 100)
 - (50, 50)
 - (25, 50)
 - (D) (25, 100)
- If one uses straight two-way merge sort algorithm to sort the following elements in ascending order 20, 47, 15, 8, 9, 4, 40, 30, 12, 17 then the order of these elements after the second pass of the algorithm is:
 - (A) 8, 9, 15, 20, 47, 4, 12, 17, 30, 40
 - (B) 8, 15, 20, 47, 4, 9, 30, 40, 12, 17
 - (C) 15, 20, 47, 4, 8, 9, 12, 30, 40, 17
 - (D) 4, 8, 9, 15, 20, 47, 12, 17, 30, 40

SCB

- data, one whose purpose is an identification (ID) and synchronization. The sampling rate is 4 kHz. The word length is 5 bits. Find the serial data rate.
 - (A) 1280 kHz
 - 160 kHz
 - (C) 320 kHz
 - (D) 640 kHz
- 115. Considering binary relationships, possible cardinality ratios are:
 - (A) one: one
 - 1:N
 - M:N(C)
 - (D) All the options
- 116. Consider a software program that is artificially seeded with 100 faults. While testing this program, 159 faults are detected, out of which 75 faults are from those artificially seeded faults. Assuming that both real and seeded faults are of same nature and have same distribution, the estimated number of undetected real faults
 - (A) 28
 - (B) 175
 - (C) 56
 - (D) 84
- 117. You are working with a network that is 172.16.0.0 and would like to support 600 hosts per subnet. What subnet mask should you use?
 - (A) 255.255.192.0
 - 255.255.224.0
 - 255.255.252.0
 - (D) None of the options

- 114. A special PCM system uses 32 channels of | 118. The number of 4 digit numbers which contain not more than two different digits
 - (A) 576
 - 567 (B)
 - (D) 504

(C)

513

- is automatically loaded and operates as part of browser.
 - (A) Add-ons
 - Plug-ins
 - Utilities
 - (D) Widgets
- 120. One-megabyte memory storage in form of bytes is equal to _
 - (A) 1024 bytes
 - (B) 1024² bytes
 - (C) 1024^3 bytes (D) 1024^4 bytes

-000-