(An Autonomous Scientific Society of Ministry of Electronics and Information Technology (MeitY), Govt. of India

गुवाहाटी केंद्र/Guwahati Centre

वित्तीय भवन, असम वित्तीय निगम भवन, प्रथम एवं द्वितीय तल, मो॰ शाह मार्ग, पलटन बाज़ार, गुवाहाटी- 781008 Vittiya Bhavan, Assam Financial Corporation Building, 1st & 2nd Floor, Md. Shah Road, Paltan Bazar, Guwahati -781 008 द्रभाप/Phone: +91-361-2730269) ई-मेल/E-mail: guwahati@nielit.gov.in

वैबसाइट/Website: https://www.nielit.gov.in/guwahati

Dated: 08/05/2021

Tender No. 06/57/2021/GHY/P&S/3426/Repeat

Notice Inviting Tender

NIELIT Guwahati invites sealed tenders from the reputed experienced firm for supply & installation of Local Area Network (LAN) at Jorhat EC of NIELIT Guwahati at the following location:

NIELIT JORHAT Extension Centre Rowriah, Mouza: Rowriah Jorhat-785005

The Tender Documents can be viewed and downloaded from the websites https://eprocure.gov.in/epublish/app, https://nielit.gov.in/guwahati, w.e.f. 08/05/2021 at 5.00 PM onwards. The tender closes on 24/05/2021 at 11.00 AM and will be opened on 24/05/2021 at 12:00 Noon at NIELIT Guwahati, AFC Campus, Vittiya Bhavan MD Shah Road, Paltan Bazar, Guwahati – 781 008. The estimated value of the work is Rs. 05.32 Lakhs.

-Sd/-**Director** NIELIT Guwahati

Tender No. 06/57/2021/GHY/P&S/3426/Repeat Dated: 08/05/2021 TENDER DOCUMENT FOR SETTING UP OF LOCAL AREA NETWORK (LAN) at Jorhat EC of NIELIT GUWAHATI

DOCUMENT CONTROL SHEET

Tender No:	Tender No. 06/57/2021/GHY/P&S/3426/Repeat Dated: 08/05/2021
Name of Organization	National Institute of Electronics & Information Technology (NIELIT)
Date of Issue/Publishing	08/05/2021
Document Download/Sale Start Date	08/05/2021
Name Of The Work	Supply & Installation of Local Area Network at Jorhat Extension Centre(EC) of NIELIT Guwahati
Time Of Completion	40 (Forty) days from date of issue of order.
Tenders To Be Submitted At	NIELIT Guwahati,Md shah Road, Paltanbazar Guwahati –781 008
Estimated cost	Rs 05.32 Lakhs
Earnest Money Deposit (EMD)	Rs 10640/- EMD in the form of Demand Draft / Banker's Cheque drawn on any nationalized bank in favour of "NIELIT Guwahati" payable at Guwahati. Or through RTGS / internet banking to NIELIT Guwahati Account No. 30011246687 IFSC Code SBIN013247, State Bank of India, Paltanbazar, Guwahati. Proof of remittance of the same is required to submit alongwith the Technical bid
Technical Specifications	ANNEXURE - I
Rate Sheet	ANNEXURE - II
Venue of Opening of Tender	Conference Room, NIELIT Guwahati
Last date of submission of	24/05/2021 at 11:00 AM.
Tender document	
Date & Time Of Opening Tender	24/05/2021 at 12:00 Noon
Address for Communication	Director, NIELIT Guwahati Md Shah Raod, AFC Buliding Paltanbazar, Guwahati-781008 Email: guwahati@nielit.gov.in

(IN FIRM'S LETTER HEAD)

LETTER OF ACCEPTANCE TO BE SUBMITTED IN THE BID.

	NIELIT Guwahati, Paltanbazar Guwahati – 781 008
Sub:	Acceptance of Terms and conditions of tender.
Ref:	Tender No. 06/57/2021/GHY/P&S/3426/repeat Dated: 08/05/2021
Sir,	
acquir contra	g examined in details of the above tender documents relating to the works and having ed all the requisite information affecting the tender invited by you, I / We
	indertake to complete the whole works within the period specified in the tender. In this ction we are providing here with the following information.
1	Firm Pagistration cartificate

1. Firm Registration certificate.

Tο·

The Director

- 2. Proof of address of the firm.
- 3. In case bidder is a Authorised Dealer/ Distributor,
 - a. Proof of Dealership/Distributorship from parent Company.
 - b. Authorization certificate from parent company authorizing participation in the tender.
- 4. Annual Turnover of the last financial year:

(Copies of Balance Sheet and IT return enclosed)

- 5. List of Clients at different states of NE region for the last 3(three) years along with copies of relevant work order and timely completion certificate.
- 6. Details of EMD paid Amount...... Draft No...... Bank...... Bank..... 7. GST Registration No...... PAN No...... (Copy Enclosed)
- 8. Acceptance of price bid format enclosed.
- 9. Affidavit / Power of Attorney stating the capacity and the authority of the person signing on behalf of the firm enclosed.
- 10. Any other relevant document.

(Signature with Seal)

(Name & Designation in block letters)

INSTRUCTION REGARDING TENDER

Note: Bidders are requested to note that non-compliance of the following instructions are liable to render their tender being rejected.

- 1. Bidders should put **endorsement** on each page of the tender documents as token of perusal.
- 2. Bidder shall provide **documentary evidence** of their experience in similar supply and value in the NE region during the last 3 (three) years.
- 3. The bidder should make no alterations and / or addition to the tender papers. Only typed/ Printed quotations will be accepted.
- 4. The tender should be put in two separate sealed envelopes marked as (A) "Technical Bid" and (B) "Commercial Bid" and both be placed inside a single sealed envelope super scribing Tender Reference No. and date of this tender notice and EMD details. Along with all desired documents, EMD should be placed in the "Technical Bid" envelope, failing which the same will be summarily rejected. "Commercial Bid" should contain only the RATE SHEET provided at ANNEXURE II of this tender. Commercial Bids of only those vendors shall be opened which are found to be technically acceptable in Technical Bid.
- 5. The bidders will be required to furnish EMD Rs 11,300/- in the form of DD / BC drawn in any nationalized bank in favour of "NIELIT Guwahati" payable at Guwahati. Without the Earnest Money the tender will be summarily rejected. Earnest money of suppliers to whom work is awarded shall be kept as security deposit till total supply as ordered is executed and it may be forfeited in case of (i) non compliance of contract/supply order (ii) incomplete supply (iii) material not supplied as per specifications period. EMD of the unsuccessful bidders will be returned after finalisation of the tender and acceptance of work order by the successful bidder.
- 6. Items are to be quoted in Indian Rupees only.
- 7. No Quotation will be accepted by fax, e-mail, telex, or any other such means.
- 8. Acceptance should be given as per enclosed format without any alterations.
- 9. All rates quoted will be considered to be inclusive of all taxes and freight of delivery place.
- 10. The quoted rates shall have to be valid for a period of 1(one) year from the date of opening of tender.
- 11. Bidders should submit all supporting documents in favour of information submitted in the tender. Further, copies of all statutory licenses and documents like PAN, GST etc. should be enclosed. All documents submitted should be serially numbered.
- 12. Partial or selective quotes, conditional tenders would be summarily rejected.
- 13. NIELIT Guwahati shall be under no obligation is liable to accept the lowest quotation. Further the Director, NIELIT Guwahati reserves the right to reject all or any of the tenders without assigning any reasons.

_

GENERAL TERMS AND CONDITIONS OF CONTRACT

This tender notice shall be governed by following terms & conditions:

- 1. **ELIGIBILTY-** To be eligible to participate in the tender, a Bidder should be:
 - a. Experienced in completion of similar works (Copy of satisfactory completion certificate compliance with value of work order to be enclosed) for minimum 03 (three) work orders as detailed in 1.b below.
 - b. The bidder should have completed at least 3 assignments for implementation of LAN with minimum 50 nodes, which may also involve structured etc. OR The work where requirement is for implementation/ up gradation/ maintenance of LAN in data centre for any State/Central department /organisation/ PSUs.-(Copy of complete work order/ agreement/purchase order and successful completion certificate from the client. Certificate from client should clearly state that the scope of work was minimum 50 nodes).
- 2. All components & equipments including cable must be ISI/IEEE standard.
- 3. **NIELIT Guwahati** may allow extension of time if in his opinion the works are delayed by reasons beyond the control of the Contractor.
- 4. **F.O.R. Rates**: The rates quoted should be F.O.R. location of the LAN and should be inclusive of freight/packing/forwarding and other incidental charges.
- 5. Quotation with overwriting, alternations will not be considered. **Only typed/ printed quotations** will be accepted.
- 6. **Validity of Rate**: The rates quoted have to be valid up to 1 (one) year from the date of opening of Commercial bid.
- 7. **Warranty**: Warranty period shall have to be for at least 1(one) year from the date of certification. Performance Bank Guarantee @1% of the Work Order Value is required to submit by the bidder on award of contract for a period of 13 Months from the date of commissioning and certification.
- 8. NIELIT Guwahati shall be under no obligation to accept the lowest quotation.
- 9. **DEDUCTIONS-** Statutory taxes and duties will be deducted at source as per government norms.
- 10. Penalty will be imposed for delay in completion of work as follows:
 - a) 1^{st} Week = 2%
 - b) From 2nd Week onwards = 5% for every week
- 11. **Payment Terms:** Bills can be submitted on successful execution of Work Order along with certification from concerned official of NIELIT for release of payment. No advance payment shall be made under any circumstance.

- 12. Details of the Taxes as applicable should be mentioned in the quotation clearly. In case of any ambiguity, prices will be considered as inclusive of all taxes.
- 13. In case of any dispute on account of deviation of the terms and conditions, the responsibility will be of suppliers and the decision of the Director, NIELIT Guwahati shall be binding and final.
- 14. **DISPUTES**: All disputes lie within the jurisdiction of Guwahati High Court.
- 15. The Bidder is liable to compensate NIELIT Guwahati for any loss suffered. All penalties imposed should be deposited by the Contractor immediately or may be deducted from any amount due to the Contractor.
- 16. The Tender is likely to be rejected because of non-fulfillment of any of the above terms.
- 17. The detailed specifications of the goods are as per **ANNEXURE-I** attached.
- 18. The Rate Sheet is placed at **ANNEXURE II.**
- 19. **Right to accept/ reject**: The Director, NIELIT Guwahati reserves the right to reject all or any tender without assigning any reason thereof.
- 20. NIELIT Guwahati reserve the right to award the contract only for Equipment part without including Installation part or both equipment and installation part based on the decision of Competent Authority of NIELIT.
- 21. CAT6 UTP Cable Laying installation works will be measured based on the actual usages of the Cable.

Annexure I

- 1. Bidder need to submit the compliance of each items.
- 2. Bidder has to submit tender specific OEM Authorization.
- 3. Datasheet for all product need to submit.
- 4. Product certificate as per technical specifications required to submit.

<u>Items/Accessories and Installation Works details:</u>

			Product Quoted with model and
Sr.No	Items	Quantity	Brand Name
1	Information Outlet: Cat6 Single RJ45 UTP Port with Box	161	
2	Cat6 Patch Cord 1mtr	161	
3	Cat6 Patch Cord 2mtr	110	
4	6U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager	5	
5	12U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager	1	
6	RJ45 Connector Cat6 (100 Jack Per Box)	1	
7	24Port 10/100/1000 Ethernet Switch	11	
8	Ethernet based router with 802.11ac Dual Band Gigabit	1	
9	Patch Panel Cat6 - 24 Port	9	
10	Cat6 UTP Cable 305m	10	
11	Indoor Access Point	2	
	Installation Work		
1	Cat6 UTP Cable laying with PVC Casing capping(Cost of PVC Casing is included with this job)	3050	
	Patch Panel fixing and termination charges including Switch		
2	Fixing	9	
3	Rack fixing and dressing and Switch Assembly	6	
4	Fixing of IO with Surface Mount Box	161	
5	Installation of Indoor Access Point	2	

TECHNICAL SPECIFICATIONS

Technical Specification for 24Port Gigabit Switch

Sr.No	Technical Specifications	Compliance (Yes/No)
1	24Port 10/100/1000Mbps Port Rack mountable, 48Gbps bandwidth, 512KB Buffer Memory, Jumbo frame @ 9216bytes, MAC address will be 8K, Latency (using 64-byte packets) <4.7 µsec, 802.3ab 1000Base-T Gigabit Ethernet, 802.3u 100Base-TX Fast Ethernet, 802.3i 10Base-T Ethernet, 802.3x Flow control, 802.1p priority QoS and honors DSCP tags, 802.3CSMA/CD, 802.3az Energy	

Efficient Ethernet, Operating Temperature 0° to 40°C, Storage temperature –20°	
to 70°C, 3 year warranty	

Technical Specification for Wireless Router

Sr.No	Technical Specifications	Compliance
		(Yes/No)
	Router with 802.11ac Dual Band Gigabit, 1Ghz Dual Core processor MU-MIMO,	
	AC2300 WiFi(1625+600Mbps), Simultaneous dual band 2.4GHz & 5GHz with	
	128 MB Flash and 256 MB RAM, 1(min) x USB3.0 & 1(min) x USB2.0 for	
1	faster streaming, backup and easy access to stored media, Wi-Fi Protected	
I	Access® (WPA/WPA2—PSK) and WEP, Guest network access—separate &	
	secure, WiFi Protected Access® (WPA/WPA2—PSK), Double firewall	
	protection (SPI and NAT), Denial-of-service (DoS) attack prevention, IEEE®	
	802.11 b/g/n 2.4 GHz ,IEEE® 802.11 a/n/ac 5.0 GHz - 1024 QAM support	

Technical Specification for Wireless Access Point

Sr.No	Technical Specifications	Compliance
		(Yes/No)
	Wireless Access Point - IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, 2*5dBi	
1	Detachable Omni Directional (RP-SMA), 2.4-2.4835GHz, 11n: Up to	
	300Mbps(dynamic), 11g: Up to 54Mbps(dynamic), 11b: Up to	
1	11Mbps(dynamic), Trasmit Power : <20dBm(EIRP), Wireless Mode: AP Mode,	
	Multi-SSID Mode, Client Mode, Repeater Mode (WDS/Universal), Bridge with	
	AP Mode, Certification: FCC, RoHS	

CAT6 UTP Cable

Sr No	Feature	Requirement	Compliance	Remarks, If any
1	Туре	Category 6 Unshielded Twisted Pair 4 pair cable shall be compliant with ANSI/TIA/EIA-568-B.2-1 Additional Transmission Performance Specifications for 4-pair Category 6 Cabling.		
a)	Туре	Category 6 UTP cables shall extend between the work area location and its associated telecommunications closet and consist of 4 pair, 23 AWG, UTP.		
b)		Supports ultrahigh speed data networks such as Gigabit Ethernet (1000 Base-T and 1000 Base-TX) and beyond.		
2	Jacket:	Jacket FR-PVC/LSZH and Should comply to FR-PVC/LSZH 332.1, IEC 60754-2 and IEC 61034-2		
3		Incorporates central spine maintaining pair separation during installation to ensure premium performance after installation.		
4	Mechanical Characteristics	Construction: 4 twisted pairs separated by internal X shaped, 4 channel, polymer spine / full separator. Half shall not be accepted. Conductor Solid Copper Conductor Diameter 0.56±0.005mm (23 AWG) Insulator Polyolefin Outer Diameter 6.0±0.4mm Max. Temperature 75°C		
5	ROHS/ELV	Compliant		
6	Certificate	UL listed / Intertek (ETL) 4 Connector channel certified and ROFIS complaint		

Cat6 Patch Cord

Sr.No	Item Specification	Features	Compliance Yes/No
1	Cat 6	4 Pair 24AWG stranded copper wire with ROFIS Compliant	
2	Boots	Transparent Plug with anti-snag slip on boots	
3	RJ45 Plug Standard	ISO/IEC 60606-7-4 and FCC 47 Part 68	
4	Sheath Standards	LSZH	
5	Separator	Cross / Star Spine to separate 4Pairs Patch Cords	
6	Standards	ETL Certified with ANSI/TIA-568-C.2, ISO/IEC 11801 Category 6	
7	Operating Temperature	-20 Degrees to +60 Degrees	

Cat6 Single- IO Box with Surface Mount Box

Sr.No	Item Specification	Features	Compliance Yes/No
1	Туре	Shutters should be on faceplate.	
2	Wire terminal	200 termination cycles	
3	Modular Jack	750 mating cycles	
4	Plastic Housing	Polycarbonate, UL94V-0 rated or equivalent	
5	IDC Contact Plating	Tin/Lead Plate	
6	Faceplate	Square shuttered plate with 1/2/4 port. 86 x 86	
		mm	
7	ROHS/ELV	Compliant	

Patch Panel Cat 6 UTP Keystone Type- 24 Port-Fully Loaded

Sr.No	Item Specification	Features	Compliance Yes/No
1	Туре	loaded with Jack, A key product used in both Category 6 link and channel gigabit Ethernet applications. Offering both front and rear labelling options.	
2	Ports	24	
3	Plastic Housing Jack Connector	Polycarbonate, UL94V-0 rated or equivalent	
4	Contact Plating	50g" Gold/l00g" Nickel	
5	Front Connector interface	RJ45	
6	Circuit Identification Scheme	Icons on each of 24-ports	
7	Port Identification	9mm or 12mm Labels on each of 24-ports (to be included in supply)	
8	Height	1 U	
9	ROHS/ELV	Compliant	

Technical Specification for Wall-Mount Network Rack

Sr.No	Technical Specifications	Compliance (Yes/No)
1	Rack Standard - Conforms to DIN 41494 or equivalent standard	
2	Construction - Welded	
3	Front Door - Lockable Toughened Glass Door	
4	Basic Frame - Steel	
5	Equipment Mounting - DIN Standard Slots	
6	Mounting Angle -19" Mounting angles made of formed steel, Power Coated	
7	Static Load - 25 Kg or more	
8	6U Size - 550mm (W) x 600mm (D) x 347mm (H)	
9	9U Size - 550mm (W) x 600mm (D) x 480mm (H)	
10	12U Size - 550mm (W) x 600mm (D) x 613mm (H)	

LAN for Admin Building of Jorhat EC-Terminal and Rack Distribution Plan

	Ground Floor								
SI. No	Rooms	Nodes	Rack	Rack Position	Nos of Switch	I/O	Patch Panel	Patch Cord 1 M	Patch Cord 2M
1	Classroom-3 (L4)	17		SL-2		17		17	17
2	Classroom- 1&2 (L1)	25	U6-1	SL-2	2	25	2	25	25
3	Lab- 2	25	U6-1	SL-3	2	25	2	25	25
4	ClassRoom C1	2		SL-3		2		2	2
5	Lab- 5	13	U6-1	SL-5	1	25	1	13	13
6	Classroom- C2	2		SL-5		2	1	2	2
7	Library	4		SL-5		4		4	4
8	Lab-3	31	U6-1	SL-8	2	31	2	31	31

Total port required= 119

First Floor									
SI. No	Rooms	Nodes	Rack	Rack Position	Nos of Switch	I/O	Patch Panel	Patch Cord 1 M	Patch Cord 2M
1	Workshop/ Maintanance	4		SL-2		4		4	4
2	Store/UPS/Server	6	U12-1	SL-2	2	6	1	6	6
3	Centre In Charge	4		SL-2		4		4	4
4	Auditorium	4		SL-2		4		4	4
5	Reception	4		SL-2		4		4	4
6	Faculty room	8	U6-1	SL-6	1	8	1	8	8
7	Administrative/Accountant	6		SL-6		6		6	6
8	Director/ V.C Room	4		SL-6		4		4	4
		40	7		10	159	9	159	159
	Total Nodes	159							

Note: In addition to these points, 1 No. of Indoor Access Point each floor ie 02 Nos. need to install

> **Total Nodes** 161

Annexure-II

(in firm's letterhead)

RATE SHEET

Tender No. 06/57/2021/GHY/P&S/3426/Repeat Dated: 08/05/2021 For Supply & Installation of Local Area Network (LAN at Jorhat EC of NIELIT Guwahati)

CI	lt	Otro	Product Quoted	Rate Including GST	Amount Including GST
SL	Items	Qty			
	Information Outlet: Cat6 Single RJ45 UTP Port	4.54			
1	with Box	161			
2	Cat6 Patch Cord 1mtr	161			
3	Cat6 Patch Cord 2mtr	110			
4	6U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager	5			
5	12U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager	1			
6	RJ45 Connector Cat6 (100 Jack Per Box)	1			
7	24Port 10/100/1000 Ethernet Switch	10			
8	Ethernet based router with 802.11ac Dual Band Gigabit	1			
9	Patch Panel Cat6 - 24 Port	9			
10	Cat6 UTP Cable 305m	10			
11	Indoor Access Point	2			
	Total Equipment cost				
	Installation Work				
	Cat6 UTP Cable laying with PVC Casing capping(
1	Cost of PVC Casing is included with this job)	3050			
_	Patch Panel fixing and termination charges				
2	including Switch fixing	9			
3	Rack fixing and dressing and Switch Assembly	6			
4	Fixing of IO with Surface Mount Box	161			
5	Installation of Indoor Access Point	2			
	Total Installation Cost				
	Grand Total				

(**Signature**) with Seal & Date