

(An Autonomous Scientific Society of Ministry of Electronics and Information Technology (MeitY), Govt. of India

गुवाहाटी केंद्र/Guwahati Centre

वित्तीय भवन, असम वित्तीय निगम भवन, प्रथम एवं द्वितीय तल, मो॰ शाह मार्ग, पलटन बाज़ार, गुवाहाटी- 781008 Vittiya Bhavan, Assam Financial Corporation Building, 1<sup>st</sup> & 2<sup>nd</sup> Floor, Md. Shah Road, Paltan Bazar, Guwahati -781 008 दूरभाष/Phone: +91-361-2730269) ई-मेल/E-mail: <u>guwahati@nielit.gov.in</u> वैबसाइट/Website: https://www.nielit.gov.in/guwahati

Tender No. 06/57/2021/GHY/P&S/3427

Dated: 12/03/2021

# Notice Inviting Tender

NIELIT Guwahati invites sealed tenders from the reputed experienced firm for supply & installation of Local Area Network (LAN) at Tezpur EC of NIELIT Guwahati at the following location:

#### NIELIT TEZPUR Extension Centre Vill: Punioni, Mouza: Haleswar Tezpur-784028

The Tender Documents can be viewed and downloaded from the websites https://eprocure.gov.in/epublish/app, <u>https://nielit.gov.in/guwahati</u>, w.e.f. 25/03/2021 at 5.00 PM onwards. The tender closes on 05/04/2021 at 12.00 Noon and will be opened on 05/04/2021 at 2:00 P.M at NIELIT Guwahati, AFC Campus, Vittiya Bhavan MD Shah Road, Paltan Bazar, Guwahati – 781 008. The estimated value of the work is Rs. 05.20 Lakhs.

-Sd/-**Director** NIELIT Guwahati

# Tender No. 06/57/2021/GHY/P&S/3427 Dated: 12/03/2021 TENDER DOCUMENT FOR SETTING UP OF

LOCAL AREA NETWORK (LAN) at Tezpur EC of NIELIT GUWAHATI

# **DOCUMENT CONTROL SHEET**

| Tender No:                           | Tender No. 06/57/2021/GHY/P&S/3427 Dated: 12/03/2021   |  |  |  |  |
|--------------------------------------|--|--|--|--|--|
| Name of Organization                 | National Institute of Electronics & Information Technology<br>(NIELIT)   |  |  |  |  |
| Date of Issue/Publishing             | 25/03/2021   |  |  |  |  |
| Document Download/Sale Start<br>Date | 25/03/2021   |  |  |  |  |
| Name Of The Work                     | Supply & Installation of Local Area Network at Tezpur<br>Extension Centre(EC) of NIELIT Guwahati   |  |  |  |  |
| Time Of Completion                   | 20 (Twenty) days from date of issue of order.  |  |  |  |  |
| Tenders To Be Submitted At           | NIELIT Guwahati,Md shah Road, Paltanbazar<br>Guwahati –781 008   |  |  |  |  |
| Estimated cost                       | Rs 05.20 Lakhs   |  |  |  |  |
| Earnest Money Deposit (EMD)          | Rs 10,400/-<br>EMD in the form of Demand Draft / Banker's Cheque drawn<br>on any nationalized bank in favour of " <b>NIELIT Guwahati</b> "<br>payable at <b>Guwahati.</b><br><b>Or</b> through RTGS / internet banking to NIELIT Guwahati<br>Account No. 30011246687 IFSC Code SBIN013247, State<br>Bank of India, Paltanbazar, Guwahati. Proof of remittance of<br>the same is required to submit alongwith the Technical bid |  |  |  |  |
| Technical Specifications             | ANNEXURE - I   |  |  |  |  |
| Rate Sheet                           | ANNEXURE - II  |  |  |  |  |
| Venue of Opening of Tender           | Conference Room, NIELIT Guwahati   |  |  |  |  |
| Last date of submission of           | <b>05/04/2021</b> at 12:00 NOON.   |  |  |  |  |
| Tender document                      |  |  |  |  |  |
| Date & Time Of Opening Tender        | <b>05/04/2021</b> at 2:00 PM   |  |  |  |  |
| Address for Communication            | Director, NIELIT Guwahati<br>Md Shah Raod, AFC Buliding<br>Paltanbazar, Guwahati-781008<br>Email: guwahati@nielit.gov.in   |  |  |  |  |

#### (IN FIRM'S LETTER HEAD)

#### LETTER OF ACCEPTANCE TO BE SUBMITTED IN THE BID.

- To: The Director NIELIT Guwahati, Paltanbazar <u>Guwahati – 781 008</u>
- Sub: Acceptance of Terms and conditions of tender.
- Ref: Tender No. 06/57/2021/GHY/P&S/3427 Dated: 12/03/2021

Sir,

I/We undertake to complete the whole works within the period specified in the tender. In this connection we are providing here with the following information.

- 1. Firm Registration certificate.
- 2. **Proof of address** of the firm.
- 3. In case bidder is a Authorised Dealer/ Distributor,
  - a. Proof of Dealership/Distributorship from parent Company.
  - b. Authorization certificate from parent company authorizing participation in the tender.
- 4. **Annual Turnover** of the last financial year: (Copies of Balance Sheet and IT return enclosed)
- 5. List of Clients at different states of NE region for the last 3(three) years along with copies of relevant **work order** and **timely completion certificate**.
- Details of EMD paid Amount...... Draft No....... Bank........
   GST Registration No....... PAN No......
- (Copy Enclosed)
  Assertance of arise high formation and an analysis.
- 8. Acceptance of price bid format enclosed.
- 9. Affidavit / Power of Attorney stating the capacity and the authority of the person signing on behalf of the firm enclosed.
- 10. Any other relevant document.

(Signature with Seal)

(Name & Designation in block letters)

#### **INSTRUCTION REGARDING TENDER**

# Note: Bidders are requested to note that non-compliance of the following instructions are liable to render their tender being rejected.

- 1. Bidders should put **endorsement** on each page of the tender documents as token of perusal.
- 2. Bidder shall provide **documentary evidence** of their experience in similar supply and value in the NE region during the last 3 (three) years.
- 3. The bidder should make no alterations and / or addition to the tender papers. Only typed/ Printed quotations will be accepted.
- 4. The tender should be put in two separate sealed envelopes marked as (A) "Technical Bid" and (B) "Commercial Bid" and both be placed inside a single sealed envelope super scribing Tender Reference No. and date of this tender notice and EMD details. Along with all desired documents, EMD should be placed in the "Technical Bid" envelope, failing which the same will be summarily rejected. "Commercial Bid" should contain only the RATE SHEET provided at ANNEXURE II of this tender. Commercial Bids of only those vendors shall be opened which are found to be technically acceptable in Technical Bid.
- 5. The bidders will be required to furnish EMD Rs 10,400/- in the form of DD / BC drawn in any nationalized bank in favour of "NIELIT Guwahati" payable at Guwahati. Without the Earnest Money the tender will be summarily rejected. Earnest money of suppliers to whom work is awarded shall be kept as security deposit till total supply as ordered is executed and it may be forfeited in case of (i) non compliance of contract/supply order (ii) incomplete supply (iii) material not supplied as per specifications period. EMD of the unsuccessful bidders will be returned after finalisation of the tender and acceptance of work order by the successful bidder.
- 6. Items are to be quoted in Indian Rupees only.
- 7. No Quotation will be accepted by fax, e-mail, telex, or any other such means.
- 8. Acceptance should be given as per enclosed format without any alterations.
- 9. All rates quoted will be considered to be inclusive of all taxes and freight of delivery place.
- 10. The quoted rates shall have to be valid for a period of 1(one) year from the date of opening of tender.
- 11. Bidders should submit all supporting documents in favour of information submitted in the tender. Further, copies of all statutory licenses and documents like PAN, GST etc. should be enclosed. All documents submitted should be serially numbered.
- 12. Partial or selective quotes, conditional tenders would be summarily rejected.
- 13. NIELIT Guwahati shall be under no obligation is liable to accept the lowest quotation. Further the Director, NIELIT Guwahati reserves the right to reject all or any of the tenders without assigning any reasons.

#### **GENERAL TERMS AND CONDITIONS OF CONTRACT**

This tender notice shall be governed by following terms & conditions:

- 1. ELIGIBILTY- To be eligible to participate in the tender, a Bidder should be:
  - a. Experienced in completion of similar works (Copy of satisfactory completion certificate compliance with value of work order to be enclosed) for minimum 03 (three) work orders as detailed in 1.b below.
  - b. The bidder should have completed at least 3 assignments for implementation of LAN with minimum 50 nodes, which may also involve structured etc. OR The work where requirement is for implementation/ up gradation/ maintenance of LAN in data centre for any State/Central department /organisation/ PSUs.-(Copy of complete work order/ agreement/purchase order and successful completion certificate from the client. Certificate from client should clearly state that the scope of work was minimum 50 nodes).
- 2. All components & equipments including cable must be ISI/IEEE standard.
- 3. **NIELIT Guwahati** may allow extension of time if in his opinion the works are delayed by reasons beyond the control of the Contractor.
- 4. **F.O.R. Rates**: The rates quoted should be F.O.R. location of the LAN and should be inclusive of freight/packing/forwarding and other incidental charges.
- 5. Quotation with overwriting, alternations will not be considered. **Only typed/ printed quotations** will be accepted.
- 6. **Validity of Rate**: The rates quoted have to be valid up to 1 (one) year from the date of opening of Commercial bid.
- 7. **Warranty**: Warranty period shall have to be for at least 1(one) year from the date of certification. Performance Bank Guarantee @1% of the Work Order Value is required to submit by the bidder on award of contract for a period of 13 Months from the date of commissioning and certification.
- 8. NIELIT Guwahati shall be under no obligation to accept the lowest quotation.
- 9. **DEDUCTIONS-** Statutory taxes and duties will be deducted at source as per government norms.
- 10. Penalty will be imposed for delay in completion of work as follows:
  - a)  $1^{st}$  Week = 2%
  - b) From  $2^{nd}$  Week onwards = 5% for every week
- 11. **Payment Terms:** Bills can be submitted on successful execution of Work Order along with certification from concerned official of NIELIT for release of payment. No advance payment shall be made under any circumstance.

- 12. Details of the Taxes as applicable should be mentioned in the quotation clearly. In case of any ambiguity, prices will be considered as inclusive of all taxes.
- 13. In case of any dispute on account of deviation of the terms and conditions, the responsibility will be of suppliers and the decision of the Director, NIELIT Guwahati shall be binding and final.
- 14. **DISPUTES**: All disputes lie within the jurisdiction of Guwahati High Court.
- 15. The Bidder is liable to compensate NIELIT Guwahati for any loss suffered. All penalties imposed should be deposited by the Contractor immediately or may be deducted from any amount due to the Contractor.
- 16. The Tender is likely to be rejected because of non-fulfillment of any of the above terms.
- 17. The detailed specifications of the goods are as per **ANNEXURE-I** attached.
- 18. The Rate Sheet is placed at **ANNEXURE II.**
- 19. **Right to accept/ reject**: The Director, NIELIT Guwahati reserves the right to reject all or any tender without assigning any reason thereof.
- 20. NIELIT Guwahati reserve the right to award the contract only for Equipment part without including Installation part or both equipment and installation part based on the decision of Competent Authority of NIELIT.
- 21. CAT6 UTP Cable Laying installation works will be measured based on the actual usages of the Cable.

# Annexure I

- 1. Bidder need to submit the compliance of each items.
- 2. Bidder has to submit tender specific OEM Authorization.
- 3. Datasheet for all product need to submit.
- 4. Product certificate as per technical specifications required to submit.

#### Items/Accessories and Installation Works details:

|       |  |          | Product |
|-------|--|----------|---------|
| Sr.No | Items  | Quantity | Quoted  |
| 1     | Information Outlet: Cat6 Single RJ45 UTP Port with Box   | 154      |         |
| 2     | Cat6 Patch Cord 1mtr   | 154      |         |
| 3     | Cat6 Patch Cord 2mtr   | 154      |         |
| 4     | 6U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager  | 5        |         |
| 5     | 12U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager | 1        |         |
| 6     | RJ45 Connector Cat6 (100 Jack Per Box)   | 1        |         |
| 7     | 24Port 10/100/1000 Ethernet Switch   | 10       |         |
| -     |  |          |         |
| 8     | Ethernet based router with 802.11ac Dual Band Gigabit  | 1        |         |
| 9     | Patch Panel Cat6 - 24 Port   | 9        |         |
| 10    | Cat6 UTP Cable 305m  | 10       |         |
| 11    | Indoor Access Point  | 2        |         |
|       | Installation Work  |          |         |
| 1     | Cat6 UTP Cable laying with PVC Casing capping( Cost of PVC Casing is included with this job)                                   | 3050     |         |
| 2     | Patch Panel fixing and termination charges including Switch Fixing   | 9        |         |
| 3     | Rack fixing and dressing and Switch Assembly   | 6        |         |
| 4     | Fixing of IO with Surface Mount Box  | 154      |         |

#### **TECHNICAL SPECIFICATIONS**

#### Technical Specification for 24Port Gigabit Switch

| Sr.No | Technical Specifications   | Compliance<br>(Yes/No) |
|-------|--|------------------------|
| 1     | 24Port 10/100/1000Mbps Port Rack mountable, 48Gbps bandwidth, 512KB<br>Buffer Memory, Jumbo frame @ 9216bytes, MAC address will be 8K, Latency<br>(using 64-byte packets) <4.7 µsec, 802.3ab 1000Base-T Gigabit Ethernet, 802.3u<br>100Base-TX Fast Ethernet, 802.3i 10Base-T Ethernet, 802.3x Flow control,<br>802.1p priority QoS and honors DSCP tags, 802.3CSMA/CD, 802.3az Energy<br>Efficient Ethernet, Operating Temperature 0° to 40°C, Storage temperature –20°<br>to 70°C, 3 year warranty |                        |

## **Technical Specification for Wireless Router**

| Sr.No | Technical Specifications  | Compliance<br>(Yes/No) |
|-------|---|------------------------|
| 1     | Router with 802.11ac Dual Band Gigabit, 1Ghz Dual Core processor MU-MIMO,<br>AC2300 WiFi(1625+600Mbps), Simultaneous dual band 2.4GHz & 5GHz with<br>128 MB Flash and 256 MB RAM, 1(min) x USB3.0 & 1(min) x USB2.0 for<br>faster streaming, backup and easy access to stored media, Wi-Fi Protected<br>Access® (WPA/WPA2—PSK) and WEP, Guest network access—separate &<br>secure, WiFi Protected Access® (WPA/WPA2—PSK), Double firewall<br>protection (SPI and NAT), Denial-of-service (DoS) attack prevention, IEEE®<br>802.11 b/g/n 2.4 GHz ,IEEE® 802.11 a/n/ac 5.0 GHz - 1024 QAM support |                        |

## **Technical Specification for Wireless Access Point**

| Sr.No | Technical Specifications   | Compliance<br>(Yes/No) |
|-------|--|------------------------|
| 1     | Wireless Access Point - IEEE 802.11n, IEEE 802.11g, IEEE 802.11b, 2*5dBi<br>Detachable Omni Directional (RP-SMA), 2.4-2.4835GHz, 11n: Up to<br>300Mbps(dynamic), 11g: Up to 54Mbps(dynamic), 11b: Up to<br>11Mbps(dynamic), Trasmit Power : <20dBm(EIRP), Wireless Mode: AP Mode,<br>Multi-SSID Mode, Client Mode, Repeater Mode (WDS/Universal), Bridge with<br>AP Mode, Certification: FCC, RoHS |                        |

## CAT6 UTP Cable

| Sr | Feature                       | Requirement   | Compliance | Remarks, If |
|----|-------------------------------|---|------------|-------------|
| No |                               |   |            | any         |
| 1  | Туре                          | Category 6 Unshielded Twisted Pair 4 pair cable<br>shall be compliant with ANSI/TIA/EIA-568-B.2-1<br>Additional Transmission Performance Specifications<br>for 4-pair Category 6 Cabling. The Cable should be<br>tested by third party upto 600 MHz and report should<br>be submitted along with bid. |            |             |
| a) | Туре                          | Category 6 UTP cables shall extend between the<br>work area location and its associated<br>telecommunications closet and consist of 4 pair, 23<br>AWG, UTP.   |            |             |
| b) |                               | Supports ultrahigh speed data networks such as<br>Gigabit Ethernet (1000 Base-T and 1000 Base-TX)<br>and beyond.  |            |             |
| 2  | Jacket:                       | Jacket FR-PVC/LSZH and Should comply to FR-<br>PVC/LSZH 332.1, IEC 60754-2 and IEC 61034-2  |            |             |
| 3  |                               | Incorporates central spine maintaining pair separation<br>during installation to ensure premium performance<br>after installation.  |            |             |
| 4  | Mechanical<br>Characteristics | Construction: 4 twisted pairs separated by internal X<br>shaped, 4 channel, polymer spine / full separator.<br>Half shall not be accepted.<br>Conductor Solid Copper<br>Conductor Diameter 0.56±0.005mm (23 AWG)<br>Insulator Polyolefin<br>Outer Diameter 6.0±0.4mm<br>Max. Temperature 75°C         |            |             |
| 5  | ROHS/ELV                      | Compliant   |            |             |
| 6  | Certificate                   | UL listed / Intertek (ETL) 4 Connector channel<br>certified and ROFIS complaint   |            |             |

#### Cat6 Patch Cord

| Sr.No | Item Specification    | Features  | Compliance<br>Yes/No |
|-------|-----------------------|---|----------------------|
| 1     | Cat 6                 | 4 Pair 24AWG stranded copper wire with ROFIS<br>Compliant     |                      |
| 2     | Boots                 | Transparent Plug with anti-snag slip on boots                 |                      |
| 3     | RJ45 Plug Standard    | ISO/IEC 60606-7-4 and FCC 47 Part 68                          |                      |
| 4     | Sheath Standards      | LSZH  |                      |
| 5     | Separator             | Cross / Star Spine to separate 4Pairs Patch Cords             |                      |
| 6     | Standards             | ETL Certified with ANSI/TIA-568-C.2, ISO/IEC 11801 Category 6 |                      |
| 7     | Operating Temperature | -20 Degrees to +60 Degrees                                    |                      |

## Cat6 Single- IO Box with Surface Mount Box

| Sr.No | Item Specification  | Features   | Compliance<br>Yes/No |
|-------|---------------------|--|----------------------|
| 1     | Туре                | Shutters should be on faceplate.                   |                      |
| 2     | Wire terminal       | 200 termination cycles                             |                      |
| 3     | Modular Jack        | 750 mating cycles                                  |                      |
| 4     | Plastic Housing     | Polycarbonate, UL94V-0 rated or equivalent         |                      |
| 5     | IDC Contact Plating | Tin/Lead Plate                                     |                      |
| 6     | Faceplate           | Square shuttered plate with 1/2/4 port. 86 x 86 mm |                      |
| 7     | ROHS/ELV            | Compliant  |                      |

## Patch Panel Cat 6 UTP Keystone Type- 24 Port-Fully Loaded

| Sr.No | Item Specification                | Features   | Compliance<br>Yes/No |
|-------|-----------------------------------|--|----------------------|
| 1     | Туре                              | loaded with Jack, A key product used in both<br>Category 6 link and channel gigabit Ethernet<br>applications. Offering both front and rear<br>labelling options. |                      |
| 2     | Ports                             | 24   |                      |
| 3     | Plastic Housing Jack<br>Connector | Polycarbonate, UL94V-0 rated or equivalent   |                      |
| 4     | Contact Plating                   | 50g" Gold/100g" Nickel   |                      |
| 5     | Front Connector interface         | RJ45   |                      |
| 6     | Circuit Identification<br>Scheme  | Icons on each of 24-ports  |                      |
| 7     | Port Identification               | 9mm or 12mm Labels on each of 24-ports (to be included in supply)  |                      |
| 8     | Height                            | 1 U  |                      |
| 9     | ROHS/ELV                          | Compliant  |                      |

## Technical Specification for Wall-Mount Network Rack

| Sr.No | Technical Specifications   | Compliance<br>(Yes/No) |
|-------|--|------------------------|
| 1     | Rack Standard - Conforms to DIN 41494 or equivalent standard           |                        |
| 2     | Construction - Welded  |                        |
| 3     | Front Door - Lockable Toughened Glass Door                             |                        |
| 4     | Basic Frame - Steel  |                        |
| 5     | Equipment Mounting - DIN Standard Slots                                |                        |
| 6     | Mounting Angle -19" Mounting angles made of formed steel, Power Coated |                        |
| 7     | Static Load - 25 Kg or more  |                        |
| 8     | 6U Size - 550mm (W) x 600mm (D) x 347mm (H)                            |                        |
| 9     | 9U Size - 550mm (W) x 600mm (D) x 480mm (H)                            |                        |
| 10    | 12U Size - 550mm (W) x 600mm (D) x 613mm (H)                           |                        |

|           | Ground Floor            |       |      |                      |                      |     |                    |                      |                         |
|-----------|-------------------------|-------|------|----------------------|----------------------|-----|--------------------|----------------------|-------------------------|
| SI.<br>No | Rooms                   | Nodes | Rack | Rack<br>Positio<br>n | Nos of<br>Switc<br>h | 1/0 | Patc<br>h<br>Panel | Patch<br>Cord<br>1 M | Patc<br>h<br>Cord<br>2M |
| 1         | Classroom-C             | 2     |      | SL-2                 |                      | 2   |                    | 2                    | 2                       |
| 2         | Lab Cum Classroom-<br>A | 25    | U6-1 | SL-2                 | 2                    | 25  | 2                  | 25                   | 25                      |
| 3         | Library                 | 3     |      | SL-2                 |                      | 3   |                    | 3                    | 3                       |
| 4         | Classroom-A             | 2     |      | SL-2                 |                      | 2   |                    | 2                    | 2                       |
| 5         | Reception               | 4     |      | SL-2                 |                      | 4   |                    | 4                    | 4                       |
| 6         | Lab Cum Classroom-<br>B | 25    | U6-1 | SL-6                 | 2                    | 25  | 2                  | 25                   | 25                      |
| 7         | Hardware Lab            | 20    | U6-1 | SL-7                 | 1                    | 20  | 1                  | 20                   | 20                      |
| 8         | Big Lab                 | 33    | U6-1 | SL-8                 | 2                    | 33  | 2                  | 33                   | 33                      |
| 9         | Classroom-B             | 2     |      | SL-8                 |                      | 2   |                    | 2                    | 2                       |
|           | Total port required=    | 116   |      |                      |                      |     |                    |                      |                         |

|           | First Flo                  | or               |       |                      |                      |         |                    |                      |                         |
|-----------|----------------------------|------------------|-------|----------------------|----------------------|---------|--------------------|----------------------|-------------------------|
| SI.<br>No | Rooms                      | Nodes            | Rack  | Rack<br>Positio<br>n | Nos of<br>Switc<br>h | 1/0     | Patc<br>h<br>Panel | Patch<br>Cord<br>1 M | Patc<br>h<br>Cord<br>2M |
| 1         | Server Room                | 6                | U12-1 | SL-1                 | 2                    | 6       | 1                  | 6                    | 6                       |
| 2         | Director                   | 4                |       | SL-1                 |                      | 4       |                    | 4                    | 4                       |
| 3         | Admin/Account              | 4                |       | SL-1                 |                      | 4       |                    | 4                    | 4                       |
| 4         | Auditorium                 | 4                |       | SL-1                 |                      | 4       |                    | 4                    | 4                       |
| 5         | Faculty Room               | 5                |       | SL-5                 | 1                    | 5       | 1                  | 5                    | 5                       |
| 6         | Centre I/C Room            | 3                | U6-1  | SL-5                 |                      | 3       |                    | 3                    | 3                       |
| 7         | Utility Room               | 2                |       | SL-5                 |                      | 2       |                    | 2                    | 2                       |
| 8         | Additional Faculty<br>Room | 8                |       | SL-5                 |                      | 8       |                    | 8                    | 8                       |
|           | Total Nodes                | 36<br><b>152</b> | 6     |                      | 10                   | 15<br>4 | 9                  | 154                  | 154                     |

Note: In addition to these points, 1 No. of Indoor Access Point each floor ie 02 Nos. need to install

> **Total Nodes** 154

### Annexure-II (in firm's letterhead) <u>RATE SHEET</u>

# Tender No. 06/57/2021/GHY/P&S/3427 Dated: 12/03/2021 For Supply & Installation of Local Area Network (LAN at Tezpur EC of NIELIT Guwahati)

|    |  |      | Product<br>Quoted | Rate<br>Including | Amount<br>Including |
|----|--|------|-------------------|-------------------|---------------------|
| SL | Items  | Qty  |                   | GST               | GST                 |
|    | Information Outlet: Cat6 Single RJ45 UTP Port  |      |                   |                   |                     |
| 1  | with Box   | 154  |                   |                   |                     |
| 2  | Cat6 Patch Cord 1mtr   | 154  |                   |                   |                     |
| 3  | Cat6 Patch Cord 2mtr   | 154  |                   |                   |                     |
| 4  | 6U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager  | 5    |                   |                   |                     |
| 5  | 12U Mounting Rack with front Glass door and following accessories Ac mains channel (5x5A) socket and a switch IU cable manager | 1    |                   |                   |                     |
| 6  | RJ45 Connector Cat6 (100 Jack Per Box)   | 1    |                   |                   |                     |
| 7  | 24Port 10/100/1000 Ethernet Switch   | 10   |                   |                   |                     |
| 8  | Ethernet based router with 802.11ac Dual Band Gigabit  | 1    |                   |                   |                     |
| 9  | Patch Panel Cat6 - 24 Port   | 9    |                   |                   |                     |
| 10 | Cat6 UTP Cable 305m  | 10   |                   |                   |                     |
| 11 | Indoor Access Point  | 2    |                   |                   |                     |
|    | Total Equipment cost   |      |                   |                   |                     |
|    | Installation Work  |      |                   |                   |                     |
| 1  | Cat6 UTP Cable laying with PVC Casing capping(<br>Cost of PVC Casing is included with this job)                                | 3050 |                   |                   |                     |
| 2  | Patch Panel fixing and termination charges<br>including Switch fixing  | 10   |                   |                   |                     |
| 3  | Rack fixing and dressing and Switch Assembly   | 6    |                   |                   |                     |
| 4  | Fixing of IO with Surface Mount Box  | 154  |                   |                   |                     |
|    | Total Installation Cost  |      |                   |                   |                     |
|    | Grand Total  |      |                   |                   |                     |

(**Signature**) with Seal & Date