## A9-R4: DATA COMMUNICATION AND NETWORK TECHNOLOGIES

अवधि : 03 घंटे DURATION : 03 Hours

#### अधिकतम अंक : 100 MAXIMUM MARKS:100

ओएमआर शीट सं. :  आेएमआर शीट सं. :    OMR Sheet No. :  OMR Sheet No. :    रोल नं. :  उत्तर-पुस्तिका सं. :    Roll No. :  अत्रwer Sheet No. :    परीक्षार्थी का नाम :  परीक्षार्थी के हस्ताक्षर :    Name of Candidate :			
Roll No. :  Answer Sheet No. :    परीक्षार्थी का नाम :  परीक्षार्थी के हस्ताक्षर :    Name of Candidate :  .:    परीक्षार्थियों के लिए निर्देश :  Instructions for Candidate :    परीक्षार्थियों के लिए निर्देश :  Instructions for Candidate :    कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर-पुस्तिका में दिये गए  Carefully read the instructions given on Quest OMR Sheet and Answer Sheet.			
Name of Candidate :  _;Signature of Candidate :    परीक्षार्थियों के लिए निर्देश :  Instructions for Candidate :    कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर-पुस्तिका में दिये गए  Carefully read the instructions given on Quest OMR Sheet and Answer Sheet.			
परीक्षार्थियों के लिए निर्देश :Instructions for Candidate :कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर-पुस्तिका में दिये गएCarefully read the instructions given on Questनिर्देशों को ध्यानपूर्वक पढ़ें।OMR Sheet and Answer Sheet.			
कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर-पुस्तिका में दिये गए निर्देशों को ध्यानपूर्वक पढ़ें। OMR Sheet and Answer Sheet.			
निर्देशों को ध्यानपूर्वक पढ़ें। OMR Sheet and Answer Sheet.	Instructions for Candidate :		
प्रम-प्रस्तित की भाषा अंग्रेजी है। प्रगिशाशी केवल अंग्रेजी भाषा में दी Question Paper is in English language Can	ion Paper,		
उत्तर दे सकता है।	Question Paper is in English language. Candidate can answer in English language only.		
	There are <b>TWO PARTS</b> in this Module/Paper. <b>PART ONE</b> contains <b>FOUR</b> questions and <b>PART TWO</b> contains <b>FIVE</b> questions.		
	<b>PART ONE</b> is Objective type and carries 40 Marks. <b>PART TWO</b> is Subjective type and carries 60 Marks.		
पुस्तिका पर, उसमें दिये गए अनुदेशों के अनुसार ही दिये जाने हैं। SHEET only, supplied with the Question Paper,	<b>PART ONE</b> is to be answered in the <b>OMR ANSWER</b> <b>SHEET</b> only, supplied with the Question Paper, as per the instructions contained therein. <b>PART ONE</b> is <b>NOT</b> to be answered in the answer book for <b>PART TWO</b> .		
भाग एक के लिए अधिकतम समय सीमा एक घण्टा निर्धारित की गई है। भाग दो की उत्तर-पुस्तिका, भाग एक की उत्तर-पुस्तिका जमा कराने के पश्चात् दी जाएगी। तथापि, निर्धारित एक घंटे से पहले भाग एक पूरा करने वाले परीक्षार्थी भाग एक की उत्तर-पुस्तिका निरीक्षक को सौंपने के तुरंत बाद, भाग दो की उत्तर-पुस्तिका ले सकते हैं। को सौंपने के तुरंत बाद, भाग दो की उत्तर-पुस्तिका ले सकते हैं।	at the table returned. NE earlier ART TWO		
परीक्षार्थी, उपस्थिति-पत्रिका पर हस्ताक्षर किए बिना और अपनी उत्तर-पुस्तिका, निरीक्षक को सौंपे बिना, परीक्षा हॉल/कमरा नहीं छोड़ सकते हैं। ऐसा नहीं करने पर, परीक्षार्थी को इस मॉड्यूल/पेपर में अयोग्य घोषित कर दिया जाएगा।	nding over g in doing		
प्रश्न-पुस्तिका को खोलने के निर्देश मिलने के पश्चात् एवं उत्तर लिखना आरम्भ करने से पहले उम्मीदवार जाँच कर यह सुनिश्चित कर लें कि प्रश्न-पुस्तिका प्रत्येक दृष्टि से संपूर्ण है। After receiving the instruction to open the before starting to answer the questions, the candid ensure that the Question Booklet is complete in a			

### जब तक आपसे कहा न जाए, तब तक प्रश्न-पुस्तिका न खोलें। DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE TOLD TO DO SO.

# PART ONE (answer all the questions)

- 1. Each question below gives a multiple choice of answers. Choose the most appropriate one and enter in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)
- **1.1** In which data transfer method, does a continuous stream of data signals is accompanied by timing signals ?
  - (A) Asynchronous
  - (B) Synchronous
  - (C) Both
  - (D) None of the above
- **1.2** Which layer is not a part of TCP/IP model?
  - (A) Application
  - (B) Transport
  - (C) Physical
  - (D) Session

**1.3** \_\_\_\_\_\_ is designed to avoid collision generated by nodes transmitting signals simultaneously, used mostly in hard real-time systems.

- (A) CSMA/CA
- (B) CSMA/CD
- (C) Virtual CSMA
- (D) None of the above
- Page 2

- **1.4** Which of these is the best option for short range transmission ?
  - (A) Radio wave
  - (B) Micro wave
  - (C) Infrared
  - (D) Satellite
- **1.5** The \_\_\_\_\_\_ scheme is based on spread spectrum.
  - (A) FDMA
  - (B) CDMA
  - (C) TDMA
  - (D) PDMA
- **1.6** Delivery of datagrams between end systems located on different networks is called ?
  - (A) Transmission
  - (B) Routing
  - (C) Switching
  - (D) None of the above
- **1.7** Which of the following is a type of routing protocol for unicast communication ?
  - (A) Distance vector
  - (B) Core Based Tree
  - (C) Multicast Shortest Path First
  - (D) None of the above

SPACE FOR ROUGH WORK

- **1.8** Which of the following is an applicationlayer Internet standard protocol used by e-mail clients to retrieve e-mail from a server in an IP network ?
  - (A) SMTP
  - (B) FTTP
  - (C) HTTP
  - (D) POP
- **1.9** Which network security system monitors and controls incoming and outgoing network traffic based on predetermined security rules ?
  - (A) Proxy Server
  - (B) VPN
  - (C) Firewall
  - (D) Simple Network Management Protocol
- **1.10** Which one is the highest reliable topology among the following ?
  - (A) Bus
  - (B) Star
  - (C) Mesh
  - (D) Ring

- 2. Each statement below is either TRUE or FALSE. Choose the most appropriate one and enter your choice in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)
- **2.1** The Transport layer is responsible for the node to node delivery of the message in OSI model.
- **2.2** The Internet Protocol is an application protocol for distributed, collaborative, and hypermedia information systems.
- **2.3** A virtual private network (VPN) extends a private network across a public network, and enables users to send and receive data across shared or public networks.
- 2.4 ICMP stands for Internet Connection Message Protocol
- **2.5** The Domain name system describes the machines location in a name space from right to left.
- 2.6 IP Address of a device is a unique identifier assigned to a network interface controller (NIC) for communications at the data link layer
- 2.7 De-Multiplexing is a method by which multiple analog or digital signals are combined into one signal over a shared medium
- **2.8** Phase-shift keying (PSK) is a digital modulation process which conveys data by changing (modulating) the phase of a constant frequency reference signal
- **2.9** A modem is a bidirectional device.
- **2.10** A computer network that spans a relatively large geographical area is called local area network.

Page 3

SPACE FOR ROUGH WORK

## 3. Match the words and phrases in column A with the correct answer from column B. (1x10)

	Α		В	
3.1	CDMA	А.	intermediary for requests from clients to other	
3.2	Slotted Aloha	В.	128 bit address	
3.3	LAN	C.	channel access method	
3.4	Error correction	D.	send and receive mail messages	
3.5	SMTP	E.	network of machines in small geographical area	
3.6	IPv6	F.	techniques to try to avoid network collapse	
3.7	Congestion control	G.	transport layer security	
3.8	Internet	н.	enables reliable delivery of data over unreliable channels	
3.9	Proxy Server	I.	system of interconnected computer networks	
3.10	TLS	J.	random Access protocol	
		K.	Small Mail Transfer Protocol	
		L.	32 bit address	
		М.	Carrier Division Medium Access	

## SPACE FOR ROUGH WORK

4. Each statement below has a blank space to fit one of the word(s) or phrase(s) in the list below. Choose the most appropriate option, enter your choice in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)

<b>A</b> .	www	В.	Network	C.	Telnet
D.	transport layer security	Е.	open shortest path first	F.	Half Duplex
G.	router	H.	wireless and hoc network	I.	CSMA
J.	CDMA	К.	DNS	L.	continuous
М.	Antivirus				

- **4.1** \_\_\_\_\_\_\_\_ transmission mode, data can be sent bi-direction once at a time.
- **4.2** Routers operate at \_\_\_\_\_ layer of the OSI model.
- **4.3** \_\_\_\_\_\_ is a media access control (MAC) protocol in which a node verifies the absence of other traffic before transmitting on a shared transmission medium.
- **4.4** Network operating systems can be embedded in a \_\_\_\_\_ or firewall that operates the functions in the network layer.
- **4.5** \_\_\_\_\_\_\_ is a routing protocol for IP networks. It uses a link state routing algorithm and falls into the group of interior gateway protocols (IGPs).
- **4.6** \_\_\_\_\_\_\_ is a protocol used on the Internet or local area network to provide a bidirectional interactive text-oriented communication facility using a virtual connection.
- **4.7** \_\_\_\_\_\_ is an information space where documents and other web resources are identified by Uniform Resource Locators (URLs), interlinked by hypertext links.

**4.8** Mobile Adhoc Network (MANET) also called as \_\_\_\_\_.


- **4.9** In HTTPS, the communication protocol is encrypted using \_\_\_\_\_\_.
- **4.10** \_\_\_\_\_\_\_frequency shift keying has no phase discontinuity between symbols.
- Page 5 SPACE FOR ROUGH WORK

### PART TWO

#### (Answer any FOUR questions)

- 5. (a) What is the difference between message switching and packet switching ? Explain with an example.
  - (b) Discuss the differences between Ethernet, Fast Ethernet, and Gigabit Ethernet based on their various characteristics.
  - (c) Both UDP and IP are connection less protocols. At which layer these protocols work ?Why is there a need of UDP over IP ? Would it not be enough to just let user processes send raw packets ? (4+5+6)
- 6. (a) A Company ZSV has obtained an IP address from ISP as 200.34.22.0. Company wants to create six subnets. Answer the following :
  - (i) Default mask for company address
  - (ii) Network address of each subnet
  - (iii) Range of host addresses in each subnet
  - (iv) Number of bits for subnet and host

(b) For the below given network, compute the shortest path from node E to all other nodes in the network using the Link state routing algorithm. Show all the intermediary



- 7. Write short notes on any three of the following :
  - (a) SMTP
  - (b) Cellular Radio
  - (c) Domain Name System
  - (d) X.25 (3x5)
- 8. (a) A slotted aloha has 1000 stations. Each station generates 5 new frames per second. Each frame is of 100 bits and the channel data rate is 4 Mbps. Answer the following :
  - (i) What is the channel load ?
  - (ii) What is the Throughput ?
  - (iii) What is the average number of attempts needed for a successful transmission ?

Page 6

SPACE FOR ROUGH WORK

- (b) In distance vector routing, when does the problem of "count to infinity" occur ? Explain with help of scenario and also suggest some methods to prevent this.
- (c) Define multiplexing. Explain in which situations, multiplexing is required. Differentiate between Frequency division, Time division and Wavelength division multiplexing techniques. (3+6+6)
- **9.** (a) Define firewall. What are the three types of firewalls ?
  - (b) Discuss features of NMS.
  - (c) Define Cryptography. Discuss its application in network management. (5+5+5)

- 0 0 0 -

SPACE FOR ROUGH WORK