S1	No
ы.	INU.

B2.3-R4 : BASICS OF OS, UNIX AND SHELL PROGRAMMING

अवधि : 03 घंटे DURATION : 03 Hours

अधिकतम अंक : 100 MAXIMUM MARKS:100

DURATION: 03 Hours	MAXIMUM MARKS: 100					
	ओएमआर शीट सं. : OMR Sheet No. :					
ोल नं. : soll No. : Answer Sheet No. :						
परीक्षार्थी का नाम :	परीक्षार्थी के हस्ताक्षर :					
Name of Candidate :;Signature of Candidate :						
परीक्षार्थियों के लिए निर्देश : 						
कृपया प्रश्न-पुस्तिका, ओएमआर शीट एवं उत्तर-पुस्तिका में दिये गए निर्देशों को ध्यानपूर्वक पढ़ें। OMR Sheet and Answer Sheet.						
श्न-पुस्तिका की भाषा अंग्रेजी है। परीक्षार्थी केवल अंग्रेजी भाषा में ही Question Paper is in English language. Candida त्तर दे सकता है। तर दे सकता है।						
इस मॉड्यूल/पेपर के दो भाग हैं। भाग एक में चार प्रश्न और भाग दो में पाँच प्रश्न हैं।	There are TWO PARTS in this Module/Paper. PART ONE contains FOUR questions and PART TWO contains FIVE questions.					
भाग एक ''वैकल्पिक'' प्रकार का है जिसके कुल अंक 40 है तथा भाग दो ''व्यक्तिपरक'' प्रकार का है और इसके कुल अंक 60 है।	था PART ONE is Objective type and carries 40 Marks. PART TWO is Subjective type and carries 60 Marks.					
भाग एक के उत्तर, इस प्रश्न-पत्र के साथ दी गई ओएमआर उत्तर- पुस्तिका पर, उसमें दिये गए अनुदेशों के अनुसार ही दिये जाने हैं। भाग दो की उत्तर-पुस्तिका में भाग एक के उत्तर नहीं दिये जाने चाहिए। answered in the answer book for PART TWO.						
भाग एक के लिए अधिकतम समय सीमा एक घण्टा निर्धारित की गई है। भाग दो की उत्तर-पुस्तिका, भाग एक की उत्तर-पुस्तिका जमा कराने के पश्चात् दी जाएगी। तथापि, निर्धारित एक घंटे से पहले भाग एक पूरा करने वाले परीक्षार्थी भाग एक की उत्तर-पुस्तिका निरीक्षक को सौंपने के तुरंत बाद, भाग दो की उत्तर-पुस्तिका ले सकते हैं।	Answer book for PART TWO will be supplied at the table when the Answer Sheet for PART ONE is returned.					
परीक्षार्थी, उपस्थिति-पत्रिका पर हस्ताक्षर किए बिना और अपनी उत्तर-पुस्तिका, निरीक्षक को सौंपे बिना, परीक्षा हॉल/कमरा नहीं छोड़ सकते हैं। ऐसा नहीं करने पर, परीक्षार्थी को इस मॉड्यूल/पेपर में अयोग्य घोषित कर दिया जाएगा।	ाड़ without signing on the attendance sheet and handing over					
प्रश्न-पुस्तिका को खोलने के निर्देश मिलने के पश्चात् एवं उत्तर लिखना आरम्भ करने से पहले उम्मीदवार जाँच कर यह सुनिश्चित कर लें कि प्रश्न-पुस्तिका प्रत्येक दृष्टि से संपूर्ण है। After receiving the instruction to open the before starting to answer the questions, the candid ensure that the Question Booklet is complete in						

जब तक आपसे कहा न जाए, तब तक प्रश्न-पुस्तिका न खोलें। DO NOT OPEN THE QUESTION BOOKLET UNTIL YOU ARE TOLD TO DO SO.

PART ONE		1.4		ch of the following is default		
(Answer all the questions)			permission set for directories ?			
				(a)	rw-rw-rw-	
				(b)	rwxrwxrwx	
1.	Each question below gives a multiple			(c)	r-r-r-	
choice of answers. Choose the most appropriate one and enter in the "OMR" answer sheet supplied with the question			(d)	rw-rw-rwx		
	paper, following instructions therein. (1x10)		1.5		To insert text into a file, which mode is used :	
1.1	What	t is the output of who command ?		(a)	Command mode	
	(a)	Display information about users who are currently logged in.		(b)	Input mode	
	(b)	Display file hierarchy		(c)	Ex mode	
	(c)	Display administrator information		(d)	def mode	
	(d)	Display processes				
			1.6		efault, how many lines are displayed g the head command ?	
1.2		root directory is represented by		(a)	5	
	(a)			(b)	10	
	(b)	/		(c)	4	
	(c)	*		(d)	20	
	(d)	\$				
1.3	3 Which one of the following command can delete a directory which is not empty ?		1.7	is sto	complete set of positional parameters ored as a single string in :	
	(a)	rm -r		(a)	\$n	
	(b)	rmdir		(b)	\$#	
	(c)	rm *		(c)	\$*	
	(d)	del *		(d)	\$\$	
Page	e 2	SPACE FOR R	OUGI	H WC	DRK B2.3-R4-01-20	

1.8	The	parent id of a child is called	2.	Each statement below is either TRUE or FALSE. Choose the most appropriate one and enter your choice in the "OMR"
	(a)	PID		answer sheet supplied with the question paper, following instructions therein. (1x10)
	(b)	PPID	2.1	Options are also arguments but begin with a –
	(c)	TID		
	(d)	PTID	2.2	In UNIX, the file name and file size are stored in the file itself.
1.9	agar	elect lines containing gupta and wal, from the file emp.lst, which mand will be used ?	2.3	The output of \$HOME is an example of absolute pathname.
	(a)	sed -n '/gupta/,/agarwal/p'		The inode number associated with a file is changed after renaming it.
	emp.lst 2.5	UNIX allows the system administrator to use only chown to change both owner and		
	(b) sed -n '/gupta/agarwal/p' emp.lst		group.	
	(c)	sed '/gupta agarwal'p' emp.lst	2.6	To create a space for entering a new line of text above the current cursor location, using vi, 'O' command is used.
	(d)	sed -n		
1.10		t is the default delimiter used by the command for cutting fields ?	2.7	head -n 3 emp.lst tr '[a-z]' '[A-Z]', command will change the case of text from lower to upper.
	(a)	space	2.8	There can be multiple kernels on a single UNIX system.
	(b)	tab	2.9	Every time shift command is used, the leftmost variable is lost.
	(c)	double tab		
	(d)	underscore	2.10	When we use &&, the second command is executed only when first succeeds.
Page	3	SPACE FOR R	OUGI	H WORK B2.3-R4-01-20

3. Match words and phrases in column X with the closest related meaning/ word(s)/phrase(s) in column Y. Enter your selection in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)

X			Ŷ		
3.1	dev/null	A.	touch		
3.2	key used to replace a single character with new text	B.	file		
3.3	used to separate more than one command in the same command line	C.	ps		
3.4	sits between the user and the UNIX system	D.	has write permission for all		
3.5	used to update access and modification times of a file	E.	1		
3.6	command used to display the characteristics of a process	F.	#		
3.7	used to identify the type of file by context	G.	cat		
3.8	exit status of cmp command if both the files are identical	н.	S		
3.9	first line in any shell script begins with a	I.	\$		
3.10	When we can access a file with multiple filenames, that the file has multiple	J.	Shell		
		К.	0		
		L.	;		
		M.	Links		

SPACE FOR ROUGH WORK

B2.3-R4-01-20

4. Each statement below has a blank space to fit one of the word(s) or phrase(s) in the list below. Choose the most appropriate option, enter your choice in the "OMR" answer sheet supplied with the question paper, following instructions therein. (1x10)

A .	уу	В.	home	C.	-f
D.	su	Е.	Meta characters	F.	-е
G.	-n	Н.	666	I.	case
J.	parent	K.	mv	L.	recording the session
М.	-m				

- **4.1** The default permissions for a regular file are _____.
- **4.2** Special characters having predefined meaning to the shell are known as ______.
- **4.3** script command is used for _____.
- **4.4** When we log in, the UNIX places us in a directory, called ______ directory.
- **4.5** _____ command is used for renaming files.
- **4.6** To copy lines in vi editor, we use _____ command.
- **4.7** ______ option is used when we need to match multiple patterns in a single invocation of grep command.
- **4.8** _____ command is used for acquiring superuser status.
- **4.9** _____ option is used for taking instructions from a file using sed.
- **4.10** ______ statement matches an expression for more than one alternative.
- Page 5
 SPACE FOR ROUGH WORK

B2.3-R4-01-20

PART TWO

(Answer any FOUR questions)

- 5. (a) Write a Shell program to check the given number and its reverse are same.
 - (b) Discus the file structure of UNIX system. Also mention the key directories and their usage.
 - (c) What are the different modes of vi editor? Explain with diagram how to switch between the modes ? (5+6+4)
- 6. (a) Explain the mechanism of a process creation? How child process is created ?
 - (b) What are the positional parameters? Discuss various positional parameters with their significance.
 - (c) Explain grep command with its options. (6+4+5)
- 7. (a) Write a single Unix pipeline command to store a sorted list of lines that do contain nameJones (any case) in a file called phone_numbers.txt at the back of the file "PHONES".
 - (b) Write a single Unix pipeline command to display only lines 7 to 14 for a file called "input" contained in your parent directory.
 - (c) Write a sed command to insert 5 blank spaces to the left of every line. (5+5+5)

- 8. (a) Write a Shell program to find the sum of digits of a number until a single digit is obtained.
 - (b) How does uniq command works. Explain various options of the uniq command with examples.
 - (c) What are filters ? List various filters available in UNIX. (5+5+5)
- 9. (a) What does a process table contain ?
 - (b) What are environment variables ? Explain the function of the following environment variables :
 - (i) SHELL
 - (ii) HOME
 - (iii) PATH
 - (iv) LOGNAME
 - (v) TERM
 - (vi) PWD
 - (c) List any four features of UNIX.

(5+6+4)

- 0 0 0 -

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK