



NIELIT CALICUT
(Autonomous Scientific Society of Ministry of Electronics & Information Technology, Govt. of India)
NIT Campus Post, CALICUT-673 601, KERALA
Email: purchase@calicut.nielit.in Web: <http://nielit.gov.in/calicut>
Phone: 0495-2287266 Fax: 0495-2287168

LIMITED TENDER ENQUIRY

By Speed Post
Date: **23.10.2019**

Ref. No.: 2(1103)/2019-20 /ASIC/LA

As per list attached (08 Nos.)

DUE DATE: 13.11.2019

1. Quotations are invited for the supply of the items as per Annexure.
2. The quotations duly **SIGNED, SEALED AND SUPERSCRIBED ON THE ENVELOPE WITH THE REFERENCE No. AND DUE DATE**, should be addressed to the undersigned so as to reach on or before the due date stipulated above. Quotations received after the due date will not be considered.
3. The quotations should be valid for acceptance for a period of **sixty days** from the due date
4. Quotations will not be accepted by Fax, Email or any such electronic data transfer form.
5. The quotations should be for goods exactly conforming to our requirements and specifications.
6. If the item is under DGS&D Rate contract, the number and the price applicable must be mentioned. It may also please be indicated whether the supply can be made direct to us at the DGS&D Rate Contract Price.
7. Relevant literature pertaining to the items quoted with full specifications and drawings, if any should be sent along with the quotations, wherever applicable. Samples, if called for, should be submitted free of charges and collected back at the supplier's expenses.
8. Copy of Manufacturing licence, Principal or Authorized Distributor/Dealer Certificate, and Proprietary Certificate, as applicable, should be enclosed.
9. Quotations should be for **free delivery** at our Centre and should clearly specify the **delivery period**. If delivery quoted is Ex-Godown/Consignor Station, delivery charges consisting of freight, packing & forwarding charges, insurance, etc. should be indicated separately. Goods should be supplied duly carriage paid and insured.
10. GST Registration Number of NIELIT Calicut is: **32AAATD0315M1Z6**. GST or any other taxes may be charged as per the rates applicable to Scientific/Educational institutions.
11. Security Deposit @ 5% of the Purchase Order/Invoice value shall be retained, in case order/contract value exceeds Rs.1 lakh, which will be released after the expiry of warranty period.
12. Goods shall not be supplied without an official purchase order.
13. Payment : Payment will be made after completion of supply, installation/assembly and commissioning of the items covered by the order along with necessary spares supplied to the entire satisfaction of NIELIT CALICUT. Payment against invoices shall normally be made within 30 days of receipt and acceptance of equipment/materials at our office. **No advance payment will be made under any circumstance.**
14. Incomplete quotations and quotations which do not comply with all the above instructions are liable to be summarily rejected.
15. NIELIT CALICUT does not bind itself to accept the lowest or any such quotation and has the right to accept or reject whole or any part of tenders or a portion of the supply of goods without assigning any reasons. No correspondence in case of rejected tenders will be entertained.
16. **Earnest Money Deposit (E.M.D.) for Rs. 8,000/- be deposited by NEFT in the Bank Account No. 10401158037 (IFSC: SBIN0002207) at State Bank of India, NIT Calicut Branch, CREC Campus, Chathamangalam, Calicut – 673 601, in favour of Director, NIELIT CALICUT, failing which the quotation will be rejected. Proof of Deposit of EMD amount with Tenderer's Bank Account No. and IFSC No. should be submitted with the Quotation.**

Yours faithfully,

Purchase In-Charge
For Executive Director

Encl: **Annexure**

ANNEXURE TO ENQUIRY

Your Quotation No.

Date:

1	Name of item(s)	Programmable Multi Power DC Power Supply with USB/LAN Interface
2	Specifications & Quantity As per Specifications attached.	
3	Price per unit in Rs. (in figures & words)	Attach separate list, if required.
4	Total Price in Rupees (in figures & words)	
5	Delivery Period	
6	Terms of Delivery	
7	Taxes, Duties, Octroi & any other statutory levies or charges	
8	Transportation, Insurance, Packing & Forwarding etc.	
9	Discount/off etc., if any	
10	GST Registration No.	
11	Payment Terms	
12	Validity of Tender	
13	Warranty	
14	Any other remarks / EMD Amount and Payment details	
15	Signature of the Tenderer with Name and Date	
16	Address with Email ID & Mobile No.	
17	Central Public Procurement Portal (www.eprocure.gov.in) Registration, Email login ID	

- NB:** (1) The prices quoted and Taxes charged should be Academic/Educational Prices/rates, wherever applicable.
- (2) Enquiry for the above items and specifications can also be downloaded from our website <http://nielit.gov.in/calicut> or www.eprocure.gov.in
- (3) Please register at www.eprocure.gov.in and intimate login details without fail. Watch website for regular updates.

Minimum Specification Power Supply- 2Nos

1. 3 channels and 180W total output power
2. Maximum output voltage of 30 V per channel; higher voltages possible in serial operation
3. High output currents up to 5 A ; higher currents possible in parallel operation
4. Linear postregulation for low residual ripple
5. Electronic fuse (OCP), adjustable maximum voltage (OVP), over temperature protection (OTP)
6. Dual USB/LAN interface as standard;
7. Rear Panel Connections, including sense lines for all channels.

Features	Ratings	Compliance
Number of output channels	3	YES/NO
Max. output current per channel	5A	
Max. output power per channel	60W or better	
Total output power	Max. 180 W or better	
Output voltage per channel	0 V to 30 V	
Maximum voltage in serial operation	90V	
Maximum current in parallel operation	15 A	
Voltage ripple	3 Hz to 100 kHz : < 250 μ V (RMS), 3 Hz to 20 MHz: typ. < 1.5 mV (RMS)	
Current ripple	< 1 mA (RMS)	
operating temperature range	+5°C to +40°C	
Mains nominal voltage	115 V/230 V (\pm 10%);	
Mains frequency	50 Hz	
Electrical safety	EN61010-1:2010	
Load Regulation	load change from 10 % to 90 %	
Voltage	< 0.01 % + 2 mV	
Current	< 0.01 % + 250 μ A	
Load recovery time	to within \pm 10 mV of the set nominal voltage < 1 ms	
Line regulation	\pm 10 % change in mains voltage	
Voltage	\pm (% of output + offset) < 0.01 % + 2 mV	
Current	\pm (% of output + offset) < 0.01 % + 250 μ A	
Programming accuracy	Voltage : < 0.05% + 5 mV Current : < 0.1% + 5 mA	
Arbitrary function Parameter	Voltage, Current, Time (Maximum number of points 100 Dwell time 10 ms to 60 s)	
Display		
Display	Voltage/Current Display - LCD	
Remote control interfaces	dual interface LAN/USB	
NOTE: Tender Specific Authorization required.		
OEM/Authorized distributor should quote with necessary proof/Authorization letter.		
The party should have Service & Calibration facility in India.		
Calibration Certificate to be submitted along with the product		
Warranty for 3 Years		